



## Zinc Plated Metal Screw, Hex Head With Washer, Self-Tapping Thread, Self-Drilling Point

### Screw Size

10	12	14	8
----	----	----	---

### Length

1/2 in	5/8 in	3/4 in	1 in	1 1/4 in
1 1/2 in	2 in	2 1/2 in	3 in	4 in

### Head Size

6.35 mm (1/4")	7.9 mm (5/16")	9.5 mm (3/8")
-------------------	-------------------	---------------

### Drive Size

1/4" (Hex)	3/8" (Hex)	5/16" (Hex)
------------	------------	-------------

### Thread Count (Pitch/TPI)

14	16	18
----	----	----

### Packaging format

Blister of 2 units	Blister of 4 units	Blister of 5 units	Blister of 6 units	Blister of 8 units
Blister of 10 units	Blister of 12 units	Box of 100	Box of 500	Box of 1000
		Box of 1500	Box of 2000	Box of 3000
Box of 3500	Box of 4000	Box of 5000	Box of 7000	Box of 7500
Box of 10000				

## DESCRIPTION

### Zinc plated self-tapping (TEK) screw

These TEK screws are designed for power and convenience. Constructed with steel with a zinc-plated coating, the screws deliver enhanced durability and smooth performance. They feature a hex head with washer for a great hold and grip. Ideal for ventilation duct applications, the metal screws have a self-tapping thread that offers efficient drilling and fastening performance. A self-drilling point eliminates the need for drilling a pilot hole to save you time and effort.

## AVAILABLE PRODUCTS

Product #	Screw Size	Length	Head Size	Drive Size	Thread Count (Pitch/TPI)	Packaging format
HTZ1012MR	10	1/2 in	7.9 mm (5/16")	5/16" (Hex)	16	Blister of 10 units

Product #	Screw Size	Length	Head Size	Drive Size	Thread Count (Pitch/TPI)	Packaging format
HTZ1012VP	10	1/2 in	7.9 mm (5/16")	5/16" (Hex)	16	Box of 100
HTZ1012	10	1/2 in	7.9 mm (5/16")	5/16" (Hex)	16	Box of 7500
HTZ1058MR	10	5/8 in	7.9 mm (5/16")	5/16" (Hex)	16	Blister of 10 units
HTZ1058VP	10	5/8 in	7.9 mm (5/16")	5/16" (Hex)	16	Box of 100
HTZ1058	10	5/8 in	7.9 mm (5/16")	5/16" (Hex)	16	Box of 7000
HTZ1034MR	10	3/4 in	7.9 mm (5/16")	5/16" (Hex)	16	Blister of 8 units
HTZ1034VP	10	3/4 in	7.9 mm (5/16")	5/16" (Hex)	16	Box of 100
HTZ1034	10	3/4 in	7.9 mm (5/16")	5/16" (Hex)	16	Box of 5000
HTZ101MR	10	1 in	7.9 mm (5/16")	5/16" (Hex)	16	Blister of 8 units
HTZ101VP	10	1 in	7.9 mm (5/16")	5/16" (Hex)	16	Box of 100
HTZ101	10	1 in	7.9 mm (5/16")	5/16" (Hex)	16	Box of 5000
HTZ10114MR	10	1 1/4 in	7.9 mm (5/16")	5/16" (Hex)	16	Blister of 8 units
HTZ10114VP	10	1 1/4 in	7.9 mm (5/16")	5/16" (Hex)	16	Box of 100
HTZ10114	10	1 1/4 in	7.9 mm (5/16")	5/16" (Hex)	16	Box of 5000
HTZ10112MR	10	1 1/2 in	7.9 mm (5/16")	5/16" (Hex)	16	Blister of 6 units
HTZ10112VP	10	1 1/2 in	7.9 mm (5/16")	5/16" (Hex)	16	Box of 100
HTZ10112	10	1 1/2 in	7.9 mm (5/16")	5/16" (Hex)	16	Box of 3000
HTZ102MR	10	2 in	7.9 mm (5/16")	5/16" (Hex)	16	Blister of 5 units
HTZ102VP	10	2 in	7.9 mm (5/16")	5/16" (Hex)	16	Box of 100
HTZ102	10	2 in	7.9 mm (5/16")	5/16" (Hex)	16	Box of 2000
HTZ1234MR	12	3/4 in	7.9 mm (5/16")	5/16" (Hex)	14	Blister of 6 units
HTZ1234VP	12	3/4 in	7.9 mm (5/16")	5/16" (Hex)	14	Box of 100
HTZ1234	12	3/4 in	7.9 mm (5/16")	5/16" (Hex)	14	Box of 4000
HTZ121MR	12	1 in	7.9 mm (5/16")	5/16" (Hex)	14	Blister of 6 units
HTZ121VP	12	1 in	7.9 mm (5/16")	5/16" (Hex)	14	Box of 100
HTZ121	12	1 in	7.9 mm (5/16")	5/16" (Hex)	14	Box of 4000
HTZ12114MR	12	1 1/4 in	7.9 mm (5/16")	5/16" (Hex)	14	Blister of 6 units
HTZ12114VP	12	1 1/4 in	7.9 mm (5/16")	5/16" (Hex)	14	Box of 100
HTZ12114	12	1 1/4 in	7.9 mm (5/16")	5/16" (Hex)	14	Box of 3500
HTZ12112MR	12	1 1/2 in	7.9 mm (5/16")	5/16" (Hex)	14	Blister of 6 units
HTZ12112VP	12	1 1/2 in	7.9 mm (5/16")	5/16" (Hex)	14	Box of 100
HTZ12112	12	1 1/2 in	7.9 mm (5/16")	5/16" (Hex)	14	Box of 3000
HTZ122MR	12	2 in	7.9 mm (5/16")	5/16" (Hex)	14	Blister of 4 units
HTZ122VP	12	2 in	7.9 mm (5/16")	5/16" (Hex)	14	Box of 100
HTZ122	12	2 in	7.9 mm (5/16")	5/16" (Hex)	14	Box of 2000
HTZ12212	12	2 1/2 in	7.9 mm (5/16")	5/16" (Hex)	14	Box of 1500
HTZ1434MR	14	3/4 in	9.5 mm (3/8")	3/8" (Hex)	14	Blister of 4 units
HTZ1434VP	14	3/4 in	9.5 mm (3/8")	3/8" (Hex)	14	Box of 100

Product #	Screw Size	Length	Head Size	Drive Size	Thread Count (Pitch/TPI)	Packaging format
HTZ1434	14	3/4 in	9.5 mm (3/8")	3/8" (Hex)	14	Box of 3000
HTZ141MR	14	1 in	9.5 mm (3/8")	3/8" (Hex)	14	Blister of 4 units
HTZ141VP	14	1 in	9.5 mm (3/8")	3/8" (Hex)	14	Box of 100
HTZ141	14	1 in	9.5 mm (3/8")	3/8" (Hex)	14	Box of 3000
HTZ14114	14	1 1/4 in	9.5 mm (3/8")	3/8" (Hex)	14	Box of 2000
HTZ14112MR	14	1 1/2 in	9.5 mm (3/8")	3/8" (Hex)	14	Blister of 4 units
HTZ14112VP	14	1 1/2 in	9.5 mm (3/8")	3/8" (Hex)	14	Box of 100
HTZ14112	14	1 1/2 in	9.5 mm (3/8")	3/8" (Hex)	14	Box of 2000
HTZ142MR	14	2 in	9.5 mm (3/8")	3/8" (Hex)	14	Blister of 4 units
HTZ142VP	14	2 in	9.5 mm (3/8")	3/8" (Hex)	14	Box of 100
HTZ142	14	2 in	9.5 mm (3/8")	3/8" (Hex)	14	Box of 1000
HTZ143MR	14	3 in	9.5 mm (3/8")	3/8" (Hex)	14	Blister of 2 units
HTZ143VP	14	3 in	9.5 mm (3/8")	3/8" (Hex)	14	Box of 100
HTZ143	14	3 in	9.5 mm (3/8")	3/8" (Hex)	14	Box of 1000
HTZ144	14	4 in	9.5 mm (3/8")	3/8" (Hex)	14	Box of 500
HTZ812MR	8	1/2 in	6.35 mm (1/4")	1/4" (Hex)	18	Blister of 12 units
HTZ812VP	8	1/2 in	6.35 mm (1/4")	1/4" (Hex)	18	Box of 100
HTZ812	8	1/2 in	6.35 mm (1/4")	1/4" (Hex)	18	Box of 10000
HTZ858MR	8	5/8 in	6.35 mm (1/4")	1/4" (Hex)	18	Blister of 10 units
HTZ858VP	8	5/8 in	6.35 mm (1/4")	1/4" (Hex)	18	Box of 100
HTZ858	8	5/8 in	6.35 mm (1/4")	1/4" (Hex)	18	Box of 10000
HTZ834MR	8	3/4 in	6.35 mm (1/4")	1/4" (Hex)	18	Blister of 10 units
HTZ834VP	8	3/4 in	6.35 mm (1/4")	1/4" (Hex)	18	Box of 100
HTZ834	8	3/4 in	6.35 mm (1/4")	1/4" (Hex)	18	Box of 10000
HTZ81MR	8	1 in	6.35 mm (1/4")	1/4" (Hex)	18	Blister of 8 units
HTZ81VP	8	1 in	6.35 mm (1/4")	1/4" (Hex)	18	Box of 100
HTZ81	8	1 in	6.35 mm (1/4")	1/4" (Hex)	18	Box of 7000
HTZ8114MR	8	1 1/4 in	6.35 mm (1/4")	1/4" (Hex)	18	Blister of 8 units
HTZ8114VP	8	1 1/4 in	6.35 mm (1/4")	1/4" (Hex)	18	Box of 100
HTZ8114	8	1 1/4 in	6.35 mm (1/4")	1/4" (Hex)	18	Box of 7000
HTZ8112MR	8	1 1/2 in	6.35 mm (1/4")	1/4" (Hex)	18	Blister of 6 units
HTZ8112VP	8	1 1/2 in	6.35 mm (1/4")	1/4" (Hex)	18	Box of 100
HTZ8112	8	1 1/2 in	6.35 mm (1/4")	1/4" (Hex)	18	Box of 5000

TECHNICAL SPECIFICATIONS

Drive required	Hex
Finish	Zinc
Head Type	Hexagon with Washer
Thread Type	Self-Tapping
Point Type	Self-Drilling
Brand	Reliable
Threading	Full thread
Specific Application	Ventilation Ducts
Standards and Certifications	Not Certified
Material	Steel

PRODUCT PHOTOS

