



Stainless Steel Metal Screw, Hex Head With Washer, Self-Tapping Thread, Type A Point

Screw Size

12	14
----	----

Length

1 in	1 1/4 in	1 1/2 in	1 3/4 in	2 in
2 1/2 in	3 in			

Metal Screw Thread Count (PITCH/TPI)

10	Not available
----	---------------

Head Size

7.9 mm (5/16")	9.5 mm (3/8")
-------------------	---------------

Drive Size

3/8" (Hex)	5/16" (Hex)
------------	-------------

Specific Application

Door and Window	Steel Railing and Stair
-----------------	-------------------------

Thread Count (Pitch/TPI)

10	Not Applicable
----	----------------

Packaging format

Box of 800	Box of 1100	Box of 1500	Box of 1800	Box of 2000
Box of 2500	Box of 3000			

DESCRIPTION

18-8 Stainless steel screw

AVAILABLE PRODUCTS

Product #	Screw Size	Length	Metal Screw Thread Count (PITCH/TPI)	Head Size	Drive Size	Specific Application	Thread Count (Pitch/TPI)	Packaging format
HAS12114	12	1 1/4 in	Not available	7.9 mm (5/16")	5/16" (Hex)	Door and Window	Not Applicable	Box of 3000
HAS141	14	1 in	10	9.5 mm (3/8")	3/8" (Hex)	Steel Railing and Stair	10	Box of 2500
HAS14114	14	1 1/4 in	10	9.5 mm (3/8")	3/8" (Hex)	Steel Railing and Stair	10	Box of 2500
HAS14112	14	1 1/2 in	10	9.5 mm (3/8")	3/8" (Hex)	Steel Railing and Stair	10	Box of 2000
HAS14134	14	1 3/4 in	10	9.5 mm (3/8")	3/8" (Hex)	Steel Railing and Stair	10	Box of 1800
HAS142	14	2 in	10	9.5 mm (3/8")	3/8" (Hex)	Steel Railing and Stair	10	Box of 1500
HAS14212	14	2 1/2 in	10	9.5 mm (3/8")	3/8" (Hex)	Steel Railing and Stair	10	Box of 1100
HAS143	14	3 in	10	9.5 mm (3/8")	3/8" (Hex)	Steel Railing and Stair	10	Box of 800

TECHNICAL SPECIFICATIONS

Drive required	Hex
Finish	Stainless Steel
Head Type	Hexagon with Washer
Thread Type	Self-Tapping
Point Type	Type A
Brand	Reliable
Threading	Full thread
Standards and Certifications	Series 18-8
Material	Stainless Steel 18/8

PRODUCT PHOTOS

