



## Metal Screw, Hex Head with Washer and Serration, Self-tapping Thread, Type S Point

### Screw Size

10	6	7	8
----	---	---	---

### Length

3/8 in	1/2 in	3/4 in
--------	--------	--------

### Metal Screw Thread Count (PITCH/TPI)

12	15	16	18
----	----	----	----

### Head Size

6.35 mm (1/4")	7.9 mm (5/16")
-------------------	-------------------

### Drive Size

1/4" (Hex)	5/16" (Hex)
------------	-------------

### Thread Count (Pitch/TPI)

12	15	16	18
----	----	----	----

### Packaging format

Blister of 14 units	Blister of 16 units	Blister of 18 units	Blister of 20 units	Box of 100
				Box of 1000
Box of 7000	Box of 8000	Box of 12000	Box of 15000	

## DESCRIPTION

These metal screws are ideal for joining sheet metal, metal to wood, or other soft or thin unthreaded material. They are made of steel with a zinc coating for corrosion resistance. The metal screws feature an oversized, slotted, hexagonal head with a washer that provides exceptional holding power across a wider surface area and makes them compatible for use with automotive cap screw wrenches. With their self-tapping thread and sharp point, the screws ensure smooth penetration into the material.

## AVAILABLE PRODUCTS

Product #	Screw Size	Length	Metal Screw Thread Count (PITCH/TPI)	Head Size	Drive Size	Thread Count (Pitch/TPI)	Packaging format
<b>SZ1012MR</b>	10	1/2 in	12	7.9 mm (5/16")	5/16" (Hex)	12	Blister of 16 units
<b>SZ1012VP</b>	10	1/2 in	12	7.9 mm (5/16")	5/16" (Hex)	12	Box of 100
<b>SZ1012</b>	10	1/2 in	12	7.9 mm (5/16")	5/16" (Hex)	12	Box of 8000
<b>SZ1034MR</b>	10	3/4 in	12	7.9 mm (5/16")	5/16" (Hex)	12	Blister of 14 units
<b>SZ1034VP</b>	10	3/4 in	12	7.9 mm (5/16")	5/16" (Hex)	12	Box of 100
<b>SZ1034</b>	10	3/4 in	12	7.9 mm (5/16")	5/16" (Hex)	12	Box of 7000
<b>SZ638MR</b>	6	3/8 in	18	6.35 mm (1/4")	1/4" (Hex)	18	Blister of 20 units
<b>SZ638VP</b>	6	3/8 in	18	6.35 mm (1/4")	1/4" (Hex)	18	Box of 100
<b>SZ638</b>	6	3/8 in	18	6.35 mm (1/4")	1/4" (Hex)	18	Box of 15000
<b>SZ712MR</b>	7	1/2 in	16	6.35 mm (1/4")	1/4" (Hex)	16	Blister of 20 units
<b>SZ712VP</b>	7	1/2 in	16	6.35 mm (1/4")	1/4" (Hex)	16	Box of 100
<b>SZ712</b>	7	1/2 in	16	6.35 mm (1/4")	1/4" (Hex)	16	Box of 15000
<b>SZ812MR</b>	8	1/2 in	15	6.35 mm (1/4")	1/4" (Hex)	15	Blister of 18 units
<b>SZ812VP</b>	8	1/2 in	15	6.35 mm (1/4")	1/4" (Hex)	15	Box of 100
<b>SZ812J</b>	8	1/2 in	15	6.35 mm (1/4")	1/4" (Hex)	15	Box of 1000
<b>SZ812</b>	8	1/2 in	15	6.35 mm (1/4")	1/4" (Hex)	15	Box of 12000
<b>SZ834</b>	8	3/4 in	15	6.35 mm (1/4")	1/4" (Hex)	15	Box of 8000

## TECHNICAL SPECIFICATIONS

Drive required	Hex
Finish	Zinc
Head Type	Hexagon with Washer and Serration
Thread Type	Self-Tapping
Point Type	Type S
Brand	Reliable
Threading	Full thread
Specific Application	Ventilation Ducts
Standards and Certifications	Not Certified
Material	Steel

## PRODUCT PHOTOS

