



Zinc Plated Metal Screw, Wafer Head, Square Drive, Self-Tapping Thread, Self-drilling Point

Screw Size

10	11	12
----	----	----

Length

3/4 in	13/16 in	1 in	1 1/4 in	1 7/16 in
2 in	2 1/2 in	3 in	4 in	

Metal Screw Thread Count (PITCH/TPI)

16	24
----	----

Head Size

no. 10	no. 11	no. 12
--------	--------	--------

Drive Size

#2 (Red)	#3 (Black)
----------	------------

Thread Count (Pitch/TPI)

16	24
----	----

Packaging format

Blister of 2 units	Blister of 3 units	Blister of 4 units	Blister of 6 units	Blister of 8 units
Box of 100	Box of 750	Box of 1000	Box of 1500	Box of 2000
Box of 2500	Box of 3000	Box of 3500	Box of 4000	Box of 5000

DESCRIPTION

The very large, flat head of this screw is specially designed to provide a smooth and discreet finish. What's more, it's self-tapping point will handle pre-drilling for you!

AVAILABLE PRODUCTS

Product #	Screw Size	Length	Metal Screw Thread Count (PITCH/TPI)	Head Size	Drive Size	Thread Count (Pitch/TPI)	Packaging format
WKTZ1034MR	10	3/4 in	24	no. 10	#2 (Red)	24	Blister of 8 units
WKTZ1034VP	10	3/4 in	24	no. 10	#2 (Red)	24	Box of 100

Product #	Screw Size	Length	Metal Screw Thread Count (PITCH/TPI)	Head Size	Drive Size	Thread Count (Pitch/TPI)	Packaging format
WKTZ1034	10	3/4 in	24	no. 10	#2 (Red)	24	Box of 5000
WKTZ101VP	10	1 in	24	no. 10	#2 (Red)	24	Box of 100
WKTZ101	10	1 in	24	no. 10	#2 (Red)	24	Box of 5000
WKTZ10114MR	10	1 1/4 in	24	no. 10	#2 (Red)	24	Blister of 6 units
WKTZ10114VP	10	1 1/4 in	24	no. 10	#2 (Red)	24	Box of 100
WKTZ10114	10	1 1/4 in	24	no. 10	#2 (Red)	24	Box of 4000
WKTZ101716MR	10	1 7/16 in	24	no. 10	#2 (Red)	24	Blister of 6 units
WKTZ101716VP	10	1 7/16 in	24	no. 10	#2 (Red)	24	Box of 100
WKTZ101716	10	1 7/16 in	24	no. 10	#2 (Red)	24	Box of 2500
WKTZ111316MR	11	13/16 in	16	no. 11	#2 (Red)	16	Blister of 6 units
WKTZ111316VP	11	13/16 in	16	no. 11	#2 (Red)	16	Box of 100
WKTZ111316	11	13/16 in	16	no. 11	#2 (Red)	16	Box of 4000
WKTZ11114MR	11	1 1/4 in	16	no. 11	#2 (Red)	16	Blister of 6 units
WKTZ11114VP	11	1 1/4 in	16	no. 11	#2 (Red)	16	Box of 100
WKTZ11114	11	1 1/4 in	16	no. 11	#2 (Red)	16	Box of 3500
WKTZ12114MR	12	1 1/4 in	24	no. 12	#3 (Black)	24	Blister of 4 units
WKTZ12114VP	12	1 1/4 in	24	no. 12	#3 (Black)	24	Box of 100
WKTZ12114	12	1 1/4 in	24	no. 12	#3 (Black)	24	Box of 3000
WKTZ122MR	12	2 in	24	no. 12	#3 (Black)	24	Blister of 4 units
WKTZ122VP	12	2 in	24	no. 12	#3 (Black)	24	Box of 100
WKTZ122	12	2 in	24	no. 12	#3 (Black)	24	Box of 2000
WKTZ12212MR	12	2 1/2 in	24	no. 12	#3 (Black)	24	Blister of 3 units
WKTZ12212VP	12	2 1/2 in	24	no. 12	#3 (Black)	24	Box of 100
WKTZ12212	12	2 1/2 in	24	no. 12	#3 (Black)	24	Box of 1500
WKTZ123MR	12	3 in	24	no. 12	#3 (Black)	24	Blister of 3 units

Product #	Screw Size	Length	Metal Screw Thread Count (PITCH/TPI)	Head Size	Drive Size	Thread Count (Pitch/TPI)	Packaging format
WKTZ123VP	12	3 in	24	no. 12	#3 (Black)	24	Box of 100
WKTZ123	12	3 in	24	no. 12	#3 (Black)	24	Box of 1000
WKTZ124MR	12	4 in	24	no. 12	#3 (Black)	24	Blister of 2 units
WKTZ124VP	12	4 in	24	no. 12	#3 (Black)	24	Box of 100
WKTZ124	12	4 in	24	no. 12	#3 (Black)	24	Box of 750

TECHNICAL SPECIFICATIONS

Drive required	Square
Finish	Zinc
Head Type	Wafer
Thread Type	Self-Tapping
Point Type	#3 Self-Drilling
Brand	Reliable
Threading	Full thread
Specific Application	Various
Standards and Certifications	Not Certified
Material	Steel

PRODUCT PHOTOS

