



Green Wood Treated Screw, Bugle Head, Square Drive, Coarse Thread, Regular Wood Point Type

Screw Size

10	6	8
----	---	---

Length

1 1/4 in	1 1/2 in	1 3/4 in	2 in	2 1/4 in
2 1/2 in	3 in	3 1/2 in	4 in	5 in
6 in				

Head Size

no. 10	no. 6	no. 8
--------	-------	-------

Specific Application

Structure Assembly	Treated Wood	Floor Support / Treated Wood	Rungs (Exterior) / Treated Wood	Structure Assembly / Treated Wood
Wood Fence / Treated Wood				

Thread Count (Pitch/TPI)

10	12	9
----	----	---

Packaging format

Blister of 15 units	Box of 100	Box of 175	Box of 300	Box of 350
	Box of 400	Box of 492	Box of 500	Box of 500
Box of 555	Box of 600	Box of 800	Box of 868	Box of 1000
Box of 1100	Box of 1500	Box of 1699	Box of 2000	Box of 2800
Box of 3000	Box of 4000	Box of 5000	Box of 6500	Box of 7000
Box of 7500				

DESCRIPTION

Green Deck screw

AVAILABLE PRODUCTS

Product #	Screw Size	Length	Head Size	Specific Application	Thread Count (Pitch/TPI)	Packaging format
FKCG10312	10	3 1/2 in	no. 10	Treated Wood	9	Box of 1000
FKCG10312C1	10	3 1/2 in	no. 10	Structure Assembly / Treated Wood	9	Box of 100
FKCG10312J	10	3 1/2 in	no. 10	Structure Assembly / Treated Wood	9	Box of 175
FKCG10312C5	10	3 1/2 in	no. 10	Structure Assembly / Treated Wood	9	Box of 500
FKCG10312HP	10	3 1/2 in	no. 10	Structure Assembly / Treated Wood	9	Box of 555
FKCG10312P	10	3 1/2 in	no. 10	Structure Assembly / Treated Wood	9	Box of 1500
FKCG104HP	10	4 in	no. 10	Treated Wood	9	Box of 492
FKCG104P	10	4 in	no. 10	Treated Wood	9	Box of 1000
FKCG104C1	10	4 in	no. 10	Structure Assembly / Treated Wood	9	Box of 100
FKWD105MR	10	5 in	no. 10	Structure Assembly	9	Blister of 15 units
FKWD105C1	10	5 in	no. 10	Structure Assembly	9	Box of 100
FKWD105	10	5 in	no. 10	Structure Assembly	9	Box of 600
FKWD106MR	10	6 in	no. 10	Structure Assembly	9	Blister of 15 units
FKWD106C1	10	6 in	no. 10	Structure Assembly	9	Box of 100
FKWD106	10	6 in	no. 10	Structure Assembly	9	Box of 500
FKCG6134J	6	1 3/4 in	no. 6	Treated Wood	12	Box of 350
FKCG6134C1	6	1 3/4 in	no. 6	Rungs (Exterior) / Treated Wood	12	Box of 100
FKCG6134C5	6	1 3/4 in	no. 6	Rungs (Exterior) / Treated Wood	12	Box of 500
FKCG6134P	6	1 3/4 in	no. 6	Rungs (Exterior) / Treated Wood	12	Box of 7000
FKCG8114C1	8	1 1/4 in	no. 8	Floor Support / Treated Wood	10	Box of 100
FKCG8114C5	8	1 1/4 in	no. 8	Floor Support / Treated Wood	10	Box of 500
FKCG8114J	8	1 1/4 in	no. 8	Floor Support / Treated Wood	10	Box of 800
FKCG8114P	8	1 1/4 in	no. 8	Floor Support / Treated Wood	10	Box of 7500
FKCG8112HP	8	1 1/2 in	no. 8	Treated Wood	12	Box of 2800
FKCG8112C1	8	1 1/2 in	no. 8	Wood Fence / Treated Wood	10	Box of 100
FKCG8112C5	8	1 1/2 in	no. 8	Wood Fence / Treated Wood	10	Box of 500
FKCG8112	8	1 1/2 in	no. 8	Wood Fence / Treated Wood	10	Box of 5000
FKCG8112P	8	1 1/2 in	no. 8	Wood Fence / Treated Wood	10	Box of 6500

Product #	Screw Size	Length	Head Size	Specific Application	Thread Count (Pitch/TPI)	Packaging format
FKCG8134	8	1 3/4 in	no. 8	Treated Wood	10	Box of 4000
FKCG82C1	8	2 in	no. 8	Treated Wood	10	Box of 100
FKCG82J	8	2 in	no. 8	Treated Wood	10	Box of 400
FKCG82C5	8	2 in	no. 8	Treated Wood	10	Box of 500
FKCG82HP	8	2 in	no. 8	Treated Wood	10	Box of 1699
FKCG82	8	2 in	no. 8	Treated Wood	10	Box of 3000
FKCG82P	8	2 in	no. 8	Treated Wood	10	Box of 4000
FKCG8214	8	2 1/4 in	no. 8	Treated Wood	10	Box of 3000
FKCG8212C5	8	2 1/2 in	no. 8	Rungs (Exterior) / Treated Wood	10	Box of 500
FKCG8212HP	8	2 1/2 in	no. 8	Rungs (Exterior) / Treated Wood	10	Box of 1100
FKCG8212	8	2 1/2 in	no. 8	Rungs (Exterior) / Treated Wood	10	Box of 2000
FKCG8212P	8	2 1/2 in	no. 8	Rungs (Exterior) / Treated Wood	10	Box of 3000
FKCG83C1	8	3 in	no. 8	Treated Wood	10	Box of 100
FKCG83J	8	3 in	no. 8	Treated Wood	10	Box of 300
FKCG83C5	8	3 in	no. 8	Treated Wood	10	Box of 500
FKCG83HP	8	3 in	no. 8	Treated Wood	10	Box of 868
FKCG83	8	3 in	no. 8	Treated Wood	10	Box of 1500
FKCG83P	8	3 in	no. 8	Treated Wood	10	Box of 2000

TECHNICAL SPECIFICATIONS

Drive required	Square
Finish	ACQ Green Ceramic
Head Type	Flat (Bugle)
Thread Type	Coarse
Point Type	Regular Wood
Type of Wood	Softwood
Brand	Reliable
Drive Size	#2 (Red)
Threading	Partial thread
Standards and Certifications	ACQ Treatment
Material	Steel

PRODUCT PHOTOS

