



## Hex Coupling Nut - Zinc

### Bolt Diameter/Size

1/2 in	1/4 in	1 in	3/4 in	3/8 in
5/16 in	5/8 in	7/16 in	7/8 in	

### Thread Count (Pitch/TPI)

10	11	13	14	16
18	20	8	9	

### Length

1 3/4 in	2 1/8 in	2 1/4 in	2 1/2 in
----------	----------	----------	----------

### Corner-to-Corner Head Dimensions

0.428 to 0.438 in	0.489 to 0.5 in	0.551 to 0.562 in	0.607 to 0.625 in	0.663 to 0.688 in
0.782 to 0.813 in	0.963 to 1 in	1.212 to 1.25 in	1.325 to 1.375 in	

### Packaging format

Blister	Blister of 2 units	Box of 10	Box of 15	Box of 25
		Box of 50	Box of 50	Box of 100
Box of 200	Box of 300	Box of 450	Box of 600	Box of 1000

## DESCRIPTION

These coupling nuts are made with zinc-plated steel. Thread must comply with UNC 2B specifications.

## AVAILABLE PRODUCTS

Product #	Bolt Diameter/Size	Thread Count (Pitch/TPI)	Length	Corner-to-Corner Head Dimensions	Packaging format
<b>CNZ12MR</b>	1/2 in	13	1 3/4 in	0.663 to 0.688 in	Blister of 2 units
<b>CNZ12CT</b>	1/2 in	13	1 3/4 in	0.663 to 0.688 in	Box of 25
<b>CNZ12</b>	1/2 in	13	1 3/4 in	0.663 to 0.688 in	Box of 300
<b>CNZ14MR</b>	1/4 in	20	1 3/4 in	0.428 to 0.438 in	Blister of 2 units
<b>CNZ14CT</b>	1/4 in	20	1 3/4 in	0.428 to 0.438 in	Box of 50
<b>CNZ14</b>	1/4 in	20	1 3/4 in	0.428 to 0.438 in	Box of 1000
<b>CNZ1MR</b>	1 in	8	2 1/2 in	1.325 to 1.375 in	Blister
<b>CNZ1CT</b>	1 in	8	2 1/2 in	1.325 to 1.375 in	Box of 10
<b>CNZ1</b>	1 in	8	2 1/2 in	1.325 to 1.375 in	Box of 50
<b>CNZ34MR</b>	3/4 in	10	2 1/4 in	0.963 to 1 in	Blister
<b>CNZ34CT</b>	3/4 in	10	2 1/4 in	0.963 to 1 in	Box of 15
<b>CNZ34</b>	3/4 in	10	2 1/4 in	0.963 to 1 in	Box of 100
<b>CNZ38MR</b>	3/8 in	16	1 3/4 in	0.551 to 0.562 in	Blister of 2 units
<b>CNZ38CT</b>	3/8 in	16	1 3/4 in	0.551 to 0.562 in	Box of 25
<b>CNZ38</b>	3/8 in	16	1 3/4 in	0.551 to 0.562 in	Box of 300
<b>CNZ516MR</b>	5/16 in	18	1 3/4 in	0.489 to 0.5 in	Blister of 2 units
<b>CNZ516CT</b>	5/16 in	18	1 3/4 in	0.489 to 0.5 in	Box of 25
<b>CNZ516</b>	5/16 in	18	1 3/4 in	0.489 to 0.5 in	Box of 600
<b>CNZ58MR</b>	5/8 in	11	2 1/8 in	0.782 to 0.813 in	Blister
<b>CNZ58CT</b>	5/8 in	11	2 1/8 in	0.782 to 0.813 in	Box of 15
<b>CNZ58</b>	5/8 in	11	2 1/8 in	0.782 to 0.813 in	Box of 200
<b>CNZ716MR</b>	7/16 in	14	1 3/4 in	0.607 to 0.625 in	Blister of 2 units
<b>CNZ716CT</b>	7/16 in	14	1 3/4 in	0.607 to 0.625 in	Box of 25
<b>CNZ716</b>	7/16 in	14	1 3/4 in	0.607 to 0.625 in	Box of 450
<b>CNZ78MR</b>	7/8 in	9	2 1/2 in	1.212 to 1.25 in	Blister
<b>CNZ78CT</b>	7/8 in	9	2 1/2 in	1.212 to 1.25 in	Box of 10
<b>CNZ78</b>	7/8 in	9	2 1/2 in	1.212 to 1.25 in	Box of 50

## TECHNICAL SPECIFICATIONS

<b>Material</b>	Steel
<b>Finish</b>	Zinc
<b>Brand</b>	Reliable
<b>Steel Grade</b>	Not Applicable
<b>Standards and Certifications</b>	UNC-UNF CLASS 2B
<b>Specific Application</b>	Structure Assembly
<b>Type of nuts</b>	Connector Nut

## PRODUCT PHOTOS

---

