



## Hex Nut - Zinc

### Bolt Diameter/Size

1/2 in	1/4 in	1 in	3/4 in	3/8 in
5/16 in	5/8 in	7/16 in	7/8 in	9/16 in

### Thread Count (Pitch/TPI)

10	11	12	13	14
16	18	20	8	9

### Thickness

0.212 to 0.226 in	0.258 to 0.273 in	0.32 to 0.337 in	0.365 to 0.385 in	0.427 to 0.448 in
0.473 to 0.496 in	0.535 to 0.559 in	0.617 to 0.655 in	0.724 to 0.776 in	0.831 to 0.887 in

### Tool to use

7/16 in	1/2 in	9/16 in	11/16 in	3/4 in
7/8 in	15/16 in	1 1/8 in	1 5/16 in	1 1/2 in

### Packaging format

Blister of 2 units	Blister of 4 units	Blister of 6 units	Blister of 8 units	Blister of 12 units
Blister of 14 units	Box of 20	Box of 25	Box of 50	Box of 100
	Box of 150	Box of 300	Box of 540	Box of 650
Box of 1000	Box of 1000	Box of 1500	Box of 2500	Box of 4000
Box of 6000				

## DESCRIPTION

These hexagonal nuts with coarse thread are made of Grade 2 steel. They are ideal for structure assembly.

## ADVANTAGES AND BENEFITS

Coarse threads on Grade 2 steel hexagonal nuts enhance the grip and ensure a secure fastening. This is particularly important in applications where vibrations or external forces might otherwise cause loosening over time.

## AVAILABLE PRODUCTS

Product #	Bolt Diameter/Size	Thread Count (Pitch/TPI)	Thickness	Tool to use	Packaging format
<b>FHNCZ12MR</b>	1/2 in	13	0.427 to 0.448 in	3/4 in	Blister of 6 units
<b>FHNCZ12VP</b>	1/2 in	13	0.427 to 0.448 in	3/4 in	Box of 50
<b>FHNCZ12</b>	1/2 in	13	0.427 to 0.448 in	3/4 in	Box of 1000
<b>FHNCZ14MR</b>	1/4 in	20	0.212 to 0.226 in	7/16 in	Blister of 14 units
<b>FHNCZ14VP</b>	1/4 in	20	0.212 to 0.226 in	7/16 in	Box of 100
<b>FHNCZ14M1</b>	1/4 in	20	0.212 to 0.226 in	7/16 in	Box of 1000
<b>FHNCZ14</b>	1/4 in	20	0.212 to 0.226 in	7/16 in	Box of 6000
<b>FHNCZ1CT</b>	1 in	8	0.831 to 0.887 in	1 1/2 in	Box of 20
<b>FHNCZ1</b>	1 in	8	0.831 to 0.887 in	1 1/2 in	Box of 150
<b>FHNCZ34MR</b>	3/4 in	10	0.617 to 0.655 in	1 1/8 in	Blister of 2 units
<b>FHNCZ34CT</b>	3/4 in	10	0.617 to 0.655 in	1 1/8 in	Box of 20
<b>FHNCZ34</b>	3/4 in	10	0.617 to 0.655 in	1 1/8 in	Box of 300
<b>FHNCZ38MR</b>	3/8 in	16	0.32 to 0.337 in	9/16 in	Blister of 8 units
<b>FHNCZ38VP</b>	3/8 in	16	0.32 to 0.337 in	9/16 in	Box of 100
<b>FHNCZ38M1</b>	3/8 in	16	0.32 to 0.337 in	9/16 in	Box of 1000
<b>FHNCZ38</b>	3/8 in	16	0.32 to 0.337 in	9/16 in	Box of 2500
<b>FHNCZ516MR</b>	5/16 in	18	0.258 to 0.273 in	1/2 in	Blister of 12 units
<b>FHNCZ516VP</b>	5/16 in	18	0.258 to 0.273 in	1/2 in	Box of 100
<b>FHNCZ516M1</b>	5/16 in	18	0.258 to 0.273 in	1/2 in	Box of 1000
<b>FHNCZ516</b>	5/16 in	18	0.258 to 0.273 in	1/2 in	Box of 4000
<b>FHNCZ58MR</b>	5/8 in	11	0.535 to 0.559 in	15/16 in	Blister of 4 units
<b>FHNCZ58VP</b>	5/8 in	11	0.535 to 0.559 in	15/16 in	Box of 25
<b>FHNCZ58</b>	5/8 in	11	0.535 to 0.559 in	15/16 in	Box of 540
<b>FHNCZ716MR</b>	7/16 in	14	0.365 to 0.385 in	11/16 in	Blister of 6 units
<b>FHNCZ716VP</b>	7/16 in	14	0.365 to 0.385 in	11/16 in	Box of 50
<b>FHNCZ716</b>	7/16 in	14	0.365 to 0.385 in	11/16 in	Box of 1500
<b>FHNCZ78CT</b>	7/8 in	9	0.724 to 0.776 in	1 5/16 in	Box of 20
<b>FHNCZ916CT</b>	9/16 in	12	0.473 to 0.496 in	7/8 in	Box of 25
<b>FHNCZ916</b>	9/16 in	12	0.473 to 0.496 in	7/8 in	Box of 650

## TECHNICAL SPECIFICATIONS

<b>Material</b>	Steel
<b>Finish</b>	Zinc
<b>Thread Type</b>	Coarse
<b>Brand</b>	Reliable
<b>Steel Grade</b>	Grade 2
<b>Specific Application</b>	Structure Assembly
<b>Type of nuts</b>	Hex Nut

## PRODUCT PHOTOS

