



Toggle Bolt

Diameter

1/8 in

3/16 in

1/4 in

Length

2 in

3 in

4 in

Packaging format

Blister of 2
units

Blister of 4
units

Box of 15

Box of 20

Box of 25

DESCRIPTION

These metal spring toggle bolts can be used with any type of hollow material.

ADVANTAGES AND BENEFITS

A highly effective and classic design, trusted and used for decades.

AVAILABLE PRODUCTS

Product #	Diameter	Length	Packaging format
STZ182VMK	1/8 in	2 in	Blister of 4 units
STZ182VVA	1/8 in	2 in	Box of 25
STZ183VMK	1/8 in	3 in	Blister of 4 units
STZ183VVA	1/8 in	3 in	Box of 25
STZ3162VMK	3/16 in	2 in	Blister of 4 units
STZ3162VVA	3/16 in	2 in	Box of 20
STZ3163VMK	3/16 in	3 in	Blister of 4 units
STZ3163VVA	3/16 in	3 in	Box of 20
STZ3164VMK	3/16 in	4 in	Blister of 4 units
STZ3164VVA	3/16 in	4 in	Box of 20
STZ143VMK	1/4 in	3 in	Blister of 2 units
STZ143VVA	1/4 in	3 in	Box of 15
STZ144VMK	1/4 in	4 in	Blister of 2 units
STZ144VVA	1/4 in	4 in	Box of 15

TECHNICAL SPECIFICATIONS

Compatible Materials	Drywall, Tile, Plaster
Finish	Zinc
Bolt Included	Yes
Load Capacity - Wall Mounted/Drywall	52 kg
Load Capacity - Ceiling Mounted/Drywall	18 kg

APPLICATION

Can be used with any hollow material. Refer to the datasheet guide for pre-drilling and strength.

IMPORTANT INFORMATION

Washer not included

PRODUCT PHOTOS

