



## Hex Lock Nut with Nylon Insert

### Bolt Diameter/Size

1/2 in	1/4 in	1 in	3/4 in	3/8 in
5/16 in	5/8 in	7/16 in	9/16 in	n° 10
n° 6	n° 8			

### Thread Count (Pitch/TPI)

10	11	12	13	14
16	18	20	24	32
8				

### Thickness

11/64 in	7/32 in	15/64 in	5/16 in	11/32 in
29/64 in	19/32 in	21/32 in	3/4 in	7/8 in
1 1/16 in				

### Packaging format

Blister of 2 units	Blister of 3 units	Blister of 4 units	Blister of 5 units	Blister of 6 units
Blister of 8 units	Box of 20	Box of 20	Box of 25	Box of 50
	Box of 100	Box of 145	Box of 300	Box of 500
Box of 1000	Box of 1000	Box of 2000	Box of 3000	Box of 5000
Box of 8000	Box of 10000	Box of 15000		

## DESCRIPTION

This steel and nylon lock nut meets the UNC-UNF CLASS 2B standards and is made of NE2 grade steel. It has a zinc finish and is ideal for structure assembly.

## AVAILABLE PRODUCTS

Product #	Bolt Diameter/Size	Thread Count (Pitch/TPI)	Thickness	Packaging format
<b>HNLNZ1213MR</b>	1/2 in	13	19/32 in	Blister of 4 units
<b>HNLNZ1213VP</b>	1/2 in	13	19/32 in	Box of 50
<b>HNLNZ1213</b>	1/2 in	13	19/32 in	Box of 1000
<b>HNLNZ1420MR</b>	1/4 in	20	5/16 in	Blister of 8 units
<b>HNLNZ1420VP</b>	1/4 in	20	5/16 in	Box of 100

Product #	Bolt Diameter/Size	Thread Count (Pitch/TPI)	Thickness	Packaging format
<b>HNLNZ1420M1</b>	1/4 in	20	5/16 in	Box of 1000
<b>HNLNZ1420</b>	1/4 in	20	5/16 in	Box of 5000
<b>HNLNZ18MR</b>	1 in	8	1 1/16 in	Blister of 2 units
<b>HNLNZ1VP</b>	1 in	8	1 1/16 in	Box of 20
<b>HNLNZ18</b>	1 in	8	1 1/16 in	Box of 145
<b>HNLNZ3410MR</b>	3/4 in	10	7/8 in	Blister of 2 units
<b>HNLNZ3410VP</b>	3/4 in	10	7/8 in	Box of 20
<b>HNLNZ3410</b>	3/4 in	10	7/8 in	Box of 300
<b>HNLNZ3816MR</b>	3/8 in	16	29/64 in	Blister of 6 units
<b>HNLNZ3816VP</b>	3/8 in	16	29/64 in	Box of 100
<b>HNLNZ3816</b>	3/8 in	16	29/64 in	Box of 2000
<b>HNLNZ51618MR</b>	5/16 in	18	11/32 in	Blister of 6 units
<b>HNLNZ51618VP</b>	5/16 in	18	11/32 in	Box of 100
<b>HNLNZ51618</b>	5/16 in	18	11/32 in	Box of 3000
<b>HNLNZ5811MR</b>	5/8 in	11	3/4 in	Blister of 3 units
<b>HNLNZ5811VP</b>	5/8 in	11	3/4 in	Box of 25
<b>HNLNZ5811</b>	5/8 in	11	3/4 in	Box of 500
<b>HNLNZ71614MR</b>	7/16 in	14	29/64 in	Blister of 5 units
<b>HNLNZ71614VP</b>	7/16 in	14	29/64 in	Box of 50
<b>HNLNZ71614</b>	7/16 in	14	29/64 in	Box of 2000
<b>HNLNZ91612MR</b>	9/16 in	12	21/32 in	Blister of 3 units
<b>HNLNZ91612VP</b>	9/16 in	12	21/32 in	Box of 25
<b>HNLNZ91612</b>	9/16 in	12	21/32 in	Box of 500
<b>HNLNZ1024MR</b>	n° 10	24	15/64 in	Blister of 8 units
<b>HNLNZ1024VP</b>	n° 10	24	15/64 in	Box of 100
<b>HNLNZ1024</b>	n° 10	24	15/64 in	Box of 8000
<b>HNLNZ1032MR</b>	n° 10	32	15/64 in	Blister of 8 units
<b>HNLNZ1032VP</b>	n° 10	32	15/64 in	Box of 100
<b>HNLNZ1032</b>	n° 10	32	15/64 in	Box of 8000
<b>HNLNZ632MR</b>	n° 6	32	11/64 in	Blister of 8 units
<b>HNLNZ632VP</b>	n° 6	32	11/64 in	Box of 100
<b>HNLNZ632</b>	n° 6	32	11/64 in	Box of 15000
<b>HNLNZ832MR</b>	n° 8	32	7/32 in	Blister of 8 units
<b>HNLNZ832VP</b>	n° 8	32	7/32 in	Box of 100
<b>HNLNZ832</b>	n° 8	32	7/32 in	Box of 10000

## TECHNICAL SPECIFICATIONS

Material	Steel
Finish	Zinc
Steel Grade	Grade NE2
Standards and Certifications	UNC-UNF CLASS 2B
Specific Application	Structure Assembly
Type of nuts	Hex Lock Nut

## PRODUCT PHOTOS

