



Concrete Screw with 1000 SST Coating, Hexagonal Head with Washer, Hi-Low Thread

Screw Size

1/4	3/16
-----	------

Tool to use

1/4 in	5/16 in
--------	---------

Length

1 1/4 in	1 3/4 in	2 1/4 in	2 3/4 in	3 1/4 in
4 in	5 in	6 in		

Threading

Full thread	Partial thread
-------------	----------------

Bit Dimensions

3/16 x 3 1/2	3/16 x 4 1/2	3/16 x 5 1/2	3/16 x 5 1/2	3/16 x 6 1/2
5/32 x 3 1/2	5/32 x 3 1/2	5/32 x 4 1/2	5/32 x 5 1/2	

Concrete Drill Bit Included

Included	Not Included
----------	--------------

Thread Count (Pitch/TPI)

14	16
----	----

Packaging format

Blister of 10 units	Blister of 25 units	Box of 75	Box of 100	Box of 600
		Box of 800	Box of 1000	Box of 1200
Box of 1500	Box of 2000	Box of 2500	Box of 3500	Box of 4500

DESCRIPTION

Gator Drive

Gator drive screws are the optimal solution for a wide range of concrete, hollow block, or brick applications. Quick installation and high resistance to tearing and corrosion.

ADVANTAGES AND BENEFITS

- Hi-lo threads mechanically link to concrete or masonry. - Environmentally friendly,

corrosion resistant blue coating. - Resist ACQ in pressure treated lumber. - Available in 3/16" and 1/4" diameters.

AVAILABLE PRODUCTS

Product #	Screw Size	Tool to use	Length	Threading	Bit Dimensions	Concrete Drill Bit Included	Thread Count (Pitch/TPI)	Packaging format
HCBL14114DMK	1/4	5/16 in	1 1/4 in	Full thread	3/16 x 3 1/2	Included	14	Blister of 10 units
HCBL14114BDMX	1/4	5/16 in	1 1/4 in	Full thread	3/16 x 3 1/2	Included	14	Blister of 25 units
HCBL14114BDJ	1/4	5/16 in	1 1/4 in	Full thread	3/16 x 3 1/2	Included	14	Box of 100
HCBL14114	1/4	5/16 in	1 1/4 in	Full thread	3/16 x 3 1/2	Not Included	14	Box of 3500
HCBL14134DMK	1/4	5/16 in	1 3/4 in	Full thread	3/16 x 3 1/2	Included	14	Blister of 10 units
HCBL14134BDMX	1/4	5/16 in	1 3/4 in	Full thread	3/16 x 3 1/2	Included	14	Blister of 25 units
HCBL14134BDJ	1/4	5/16 in	1 3/4 in	Full thread	3/16 x 3 1/2	Included	14	Box of 100
HCBL14134	1/4	5/16 in	1 3/4 in	Full thread	3/16 x 3 1/2	Not Included	14	Box of 2500
HCBL14214DMK	1/4	5/16 in	2 1/4 in	Partial thread	3/16 x 3 1/2	Included	14	Blister of 10 units
HCBL14214BDMX	1/4	5/16 in	2 1/4 in	Partial thread	3/16 x 3 1/2	Included	14	Blister of 25 units
HCBL14214BDJ	1/4	5/16 in	2 1/4 in	Partial thread	3/16 x 3 1/2	Included	14	Box of 100
HCBL14214	1/4	5/16 in	2 1/4 in	Partial thread	3/16 x 3 1/2	Not Included	14	Box of 2000
HCBL14234DMK	1/4	5/16 in	2 3/4 in	Partial thread	3/16 x 4 1/2	Included	14	Blister of 10 units
HCBL14234BDMX	1/4	5/16 in	2 3/4 in	Partial thread	3/16 x 4 1/2	Included	14	Blister of 25 units
HCBL14234BDJ	1/4	5/16 in	2 3/4 in	Partial thread	3/16 x 4 1/2	Included	14	Box of 100
HCBL14234	1/4	5/16 in	2 3/4 in	Partial thread	3/16 x 4 1/2	Not Included	14	Box of 1200
HCBL14314DMK	1/4	5/16 in	3 1/4 in	Partial thread	3/16 x 4 1/2	Included	14	Blister of 10 units
HCBL14314BDMX	1/4	5/16 in	3 1/4 in	Partial thread	3/16 x 4 1/2	Included	14	Blister of 25 units
HCBL14314BDJ	1/4	5/16 in	3 1/4 in	Partial thread	3/16 x 4 1/2	Included	14	Box of 100
HCBL14314	1/4	5/16 in	3 1/4 in	Partial thread	3/16 x 4 1/2	Not Included	14	Box of 1000
HCBL144DMK	1/4	5/16 in	4 in	Partial thread	3/16 x 5 1/2	Included	14	Blister of 10 units
HCBL144BDMX	1/4	5/16 in	4 in	Partial thread	3/16 x 5 1/2	Included	14	Blister of 25 units
HCBL144BDJ	1/4	5/16 in	4 in	Partial thread	3/16 x 5 1/2	Included	14	Box of 100

Product #	Screw Size	Tool to use	Length	Threading	Bit Dimensions	Concrete Drill Bit Included	Thread Count (Pitch/TPI)	Packaging format
HCBL144	1/4	5/16 in	4 in	Partial thread	3/16 x 5 1/2	Not Included	14	Box of 800
HCBL145DMK	1/4	5/16 in	5 in	Partial thread	3/16 x 5 1/2	Included	14	Blister of 10 units
HCBL145BDMX	1/4	5/16 in	5 in	Partial thread	3/16 x 5 1/2	Included	14	Blister of 25 units
HCBL145	1/4	5/16 in	5 in	Partial thread	3/16 x 5 1/2	Not Included	14	Box of 600
HCBL145BDJ	1/4	5/16 in	5 in	Partial thread	3/16 x 6 1/2	Included	14	Box of 75
HCBL146DMK	1/4	5/16 in	6 in	Partial thread	3/16 x 6 1/2	Included	14	Blister of 10 units
HCBL146BDMX	1/4	5/16 in	6 in	Partial thread	3/16 x 6 1/2	Included	14	Blister of 25 units
HCBL146BDJ	1/4	5/16 in	6 in	Partial thread	3/16 x 5 1/2	Included	14	Box of 75
HCBL146	1/4	5/16 in	6 in	Partial thread	3/16 x 6 1/2	Not Included	14	Box of 600
HCBL316114DMK	3/16	1/4 in	1 1/4 in	Full thread	5/32 x 3 1/2	Included	16	Blister of 10 units
HCBL316114BDMX	3/16	1/4 in	1 1/4 in	Full thread	5/32 x 3 1/2	Included	16	Blister of 25 units
HCBL316114BDJ	3/16	1/4 in	1 1/4 in	Full thread	5/32 x 3 1/2	Included	16	Box of 100
HCBL316114	3/16	1/4 in	1 1/4 in	Full thread	5/32 x 3 1/2	Not Included	16	Box of 4500
HCBL316134DMK	3/16	1/4 in	1 3/4 in	Full thread	5/32 x 3 1/2	Included	16	Blister of 10 units
HCBL316134BDMX	3/16	1/4 in	1 3/4 in	Full thread	5/32 x 3 1/2	Included	16	Blister of 25 units
HCBL316134BDJ	3/16	1/4 in	1 3/4 in	Full thread	5/32 x 3 1/2	Included	16	Box of 100
HCBL316134	3/16	1/4 in	1 3/4 in	Full thread	5/32 x 3 1/2	Not Included	16	Box of 3500
HCBL316214DMK	3/16	1/4 in	2 1/4 in	Partial thread	5/32 x 3 1/2	Included	16	Blister of 10 units
HCBL316214BDJ	3/16	1/4 in	2 1/4 in	Partial thread	5/32 x 3 1/2	Included	16	Box of 100
HCBL316214	3/16	1/4 in	2 1/4 in	Partial thread	5/32 x 3 1/2	Not Included	16	Box of 2500
HCBL316214BDMX	3/16	1/4 in	2 1/4 in	Partial thread	5/32 x 3 1/2	Included	16	Blister of 25 units
HCBL316234DMK	3/16	1/4 in	2 3/4 in	Partial thread	5/32 x 4 1/2	Included	16	Blister of 10 units
HCBL316234BDMX	3/16	1/4 in	2 3/4 in	Partial thread	5/32 x 4 1/2	Included	16	Blister of 25 units
HCBL316234BDJ	3/16	1/4 in	2 3/4 in	Partial thread	5/32 x 4 1/2	Included	16	Box of 100
HCBL316234	3/16	1/4 in	2 3/4 in	Partial thread	5/32 x 4 1/2	Not Included	16	Box of 2000

Product #	Screw Size	Tool to use	Length	Threading	Bit Dimensions	Concrete Drill Bit Included	Thread Count (Pitch/TPI)	Packaging format
HCBL316314DMK	3/16	1/4 in	3 1/4 in	Partial thread	5/32 x 4 1/2	Included	16	Blister of 10 units
HCBL316314BDMX	3/16	1/4 in	3 1/4 in	Partial thread	5/32 x 4 1/2	Included	16	Blister of 25 units
HCBL316314BDJ	3/16	1/4 in	3 1/4 in	Partial thread	5/32 x 4 1/2	Included	16	Box of 100
HCBL316314	3/16	1/4 in	3 1/4 in	Partial thread	5/32 x 4 1/2	Not Included	16	Box of 1500
HCBL3164DMK	3/16	1/4 in	4 in	Partial thread	5/32 x 5 1/2	Included	16	Blister of 10 units
HCBL3164BDMX	3/16	1/4 in	4 in	Partial thread	5/32 x 5 1/2	Included	16	Blister of 25 units
HCBL3164BDJ	3/16	1/4 in	4 in	Partial thread	5/32 x 5 1/2	Included	16	Box of 100
HCBL3164	3/16	1/4 in	4 in	Partial thread	5/32 x 5 1/2	Not Included	16	Box of 1000

TECHNICAL SPECIFICATIONS

Drive required	Hex with Slot
Finish	Blue Coating, Blue Coating
Head Type	Hexagon with Washer
Thread Type	Hi-Low Thread
Point Type	Concrete
Brand	Gator Drive
Minimum Hole Depth	2"
Minimum Insertion	1 1/4 in
Maximum Insertion	1 3/4 in
Specific Application	Concrete
Standards and Certifications	ACQ Treatment, ASTM B117 Test
Material	Steel

APPLICATION

Wood furring strips, exterior insulation systems, electrical components (clips or boxes), hose reels, lighting fixtures.

PRODUCT PHOTOS

