



Zinc Plated Machine Screw, Pan Head, Quadrex Drive, 1/4-20, Type B Point

Length

3/8 in	1/2 in	5/8 in	3/4 in	1 in
1 1/4 in	1 1/2 in	1 3/4 in	2 in	2 1/4 in
2 1/2 in	3 in	3 1/2 in	4 in	5 in

Packaging format

Box of 75	Box of 100	Box of 500	Box of 1000	Box of 1500
Box of 2000	Box of 2500	Box of 3000	Box of 4000	

DESCRIPTION

Imperial screw with zinc plating

Our range of machine screws respects the Industrial Fasteners Institute's ASME B18.6.3 standards.



AVAILABLE PRODUCTS

Product #	Length	Packaging format
PKMZ1438VP	3/8 in	Box of 100
PQMZ1438	3/8 in	Box of 4000
PKMZ1412VP	1/2 in	Box of 100
PQMZ1412	1/2 in	Box of 3000
PKMZ1458VP	5/8 in	Box of 100
PQMZ1458	5/8 in	Box of 3000
PKMZ1434VP	3/4 in	Box of 100
PQMZ1434	3/4 in	Box of 3000
PKMZ141VP	1 in	Box of 100
PQMZ141	1 in	Box of 2500
PKMZ14114VP	1 1/4 in	Box of 100
PQMZ14114	1 1/4 in	Box of 2000
PKMZ14112VP	1 1/2 in	Box of 100
PQMZ14112	1 1/2 in	Box of 2000
PKMZ14134VP	1 3/4 in	Box of 100
PQMZ14134	1 3/4 in	Box of 1500
PKMZ142VP	2 in	Box of 100
PQMZ142	2 in	Box of 1500
PKMZ14214VP	2 1/4 in	Box of 100
PQMZ14214	2 1/4 in	Box of 1500
PKMZ14212VP	2 1/2 in	Box of 100
PQMZ14212	2 1/2 in	Box of 1000
PKMZ143VP	3 in	Box of 100
PQMZ143	3 in	Box of 1000
PKMZ14312VP	3 1/2 in	Box of 100
PQMZ14312	3 1/2 in	Box of 1000
PKMZ144VP	4 in	Box of 75
PQMZ144	4 in	Box of 500
PQMZ145	5 in	Box of 500



TECHNICAL SPECIFICATIONS

Screw Size	1/4
Thread Count (Pitch/TPI)	20
Finish	Zinc
Thread Type	Imperial
Head Type	Pan
Drive required	Quadrex
Drive Size	#3 (Black)
Material	Steel
Brand	Reliable
Standards and Certifications	ASME B18.6.3
Head Size	6.35 mm (1/4")
Threading	Full thread
Point Type	Type B
Specific Application	Various

PRODUCT PHOTOS

