



Zinc Plated Machine Screw, Flat Head, Quadrex Drive, 10-24, Type B Point

Length

3/8 in	1/2 in	5/8 in	3/4 in	1 in
1 1/4 in	1 1/2 in	1 3/4 in	2 in	2 1/2 in
3 in	3 1/2 in	4 in		

Packaging format

Box of 100	Box of 1000	Box of 1500	Box of 2500	Box of 4000
Box of 5000	Box of 7500	Box of 8000	Box of 10000	

DESCRIPTION

Imperial machine screw

Our range of machine screws respects the Industrial Fasteners Institute's ASME B18.6.3 standards.

AVAILABLE PRODUCTS

Product #	Length	Packaging format
FKMZ102438VP	3/8 in	Box of 100
FQMZ102438	3/8 in	Box of 10000
FKMZ102412VP	1/2 in	Box of 100
FQMZ102412	1/2 in	Box of 10000
FKMZ102458VP	5/8 in	Box of 100
FQMZ102458	5/8 in	Box of 8000
FKMZ102434VP	3/4 in	Box of 100
FQMZ102434	3/4 in	Box of 7500
FKMZ10241VP	1 in	Box of 100
FQMZ10241	1 in	Box of 5000
FKMZ1024114VP	1 1/4 in	Box of 100
FQMZ1024114	1 1/4 in	Box of 5000
FKMZ1024112VP	1 1/2 in	Box of 100
FQMZ1024112	1 1/2 in	Box of 4000
FKMZ1024134VP	1 3/4 in	Box of 100
FQMZ1024134	1 3/4 in	Box of 4000
FKMZ10242VP	2 in	Box of 100
FQMZ10242	2 in	Box of 2500
FKMZ1024212VP	2 1/2 in	Box of 100
FQMZ1024212	2 1/2 in	Box of 2500
FKMZ10243VP	3 in	Box of 100
FQMZ10243	3 in	Box of 1500
FKMZ1024312VP	3 1/2 in	Box of 100
FQMZ1024312	3 1/2 in	Box of 1500
FKMZ10244VP	4 in	Box of 100
FQMZ10244	4 in	Box of 1000

TECHNICAL SPECIFICATIONS

Screw Size	10
Thread Count (Pitch/TPI)	24
Finish	Zinc
Thread Type	Imperial
Head Type	Flat
Drive required	Quadrex
Drive Size	#2 (Red)
Material	Steel
Brand	Reliable
Standards and Certifications	ASME B18.6.3
Head Size	no. 10
Threading	Full thread
Point Type	Type B
Specific Application	Ceiling Electrical Box

PRODUCT PHOTOS

