Hex Head Lag Screw with Washer, Coarse Thread, Lag Point - Hot-Dip Galvanized Steel

Bolt Diameter/Size

1/2 in	1/4 in	3/8 in	5/16 in

Thread Count (Pitch/TPI)

10	6	7	9

Length

1 1/2 in	2 in	2 1/2 in	3 in	3 1/2 in
4 in	4 1/2 in	5 in	5 1/2 in	6 in
7 in	8 in			

Corner-to-Corner Head Dimensions

0.425 to 0.438 in	0.484 to 0.5 in	0.544 to 0.562 in	0.725 to 0.75 in

Packaging format

Blister of 2 units	Bag of 2 units	Blister of 3 units	Blister of 4 units	Blister of 5 units
Blister of 6 units				

DESCRIPTION

These lag bolts are made of Grade A zinc-plated steel with a galvanized finish which is perfect for outdoor applications such as wooden fences or deck boards. They have a hexagonal head and a partial coarse thread.

AVAILABLE PRODUCTS

Product #	Bolt Diameter/Size	Thread Count (Pitch/TPI)	Length	Corner-to-Corner Head Dimensions	Packaging format
HLHDG122B	1/2 in	6	2 in	0.725 to 0.75 in	Blister of 2 units
HLHDG12212B	1/2 in	6	2 1/2 in	0.725 to 0.75 in	Blister of 2 units
HLHDG123B	1/2 in	6	3 in	0.725 to 0.75 in	Blister of 2 units
HLHDG12312B	1/2 in	6	3 1/2 in	0.725 to 0.75 in	Blister of 2 units
HLHDG124B	1/2 in	6	4 in	0.725 to 0.75 in	Blister of 2 units
HLHDG12412B	1/2 in	6	4 1/2 in	0.725 to 0.75 in	Blister of 2 units
HLHDG125B	1/2 in	6	5 in	0.725 to 0.75 in	Blister of 2 units
HLHDG126B	1/2 in	6	6 in	0.725 to 0.75 in	Blister of 2 units
HLHDG127B	1/2 in	6	7 in	0.725 to 0.75 in	Bag of 2 units

Product #	Bolt Diameter/Size	Thread Count (Pitch/TPI)	Length	Corner-to-Corner Head Dimensions	Packaging format
HLHDG128B	1/2 in	6	8 in	0.725 to 0.75 in	Bag of 2 units
HLHDG14112B	1/4 in	10	1 1/2 in	0.425 to 0.438 in	Blister of 6 units
HLHDG142B	1/4 in	10	2 in	0.425 to 0.438 in	Blister of 6 units
HLHDG14212B	1/4 in	10	2 1/2 in	0.425 to 0.438 in	Blister of 5 units
HLHDG143B	1/4 in	10	3 in	0.425 to 0.438 in	Blister of 4 units
HLHDG14312B	1/4 in	10	3 1/2 in	0.425 to 0.438 in	Blister of 4 units
HLHDG144B	1/4 in	10	4 in	0.425 to 0.438 in	Blister of 3 units
HLHDG14412B	1/4 in	10	4 1/2 in	0.425 to 0.438 in	Blister of 3 units
HLHDG145B	1/4 in	10	5 in	0.425 to 0.438 in	Blister of 3 units
HLHDG14512B	1/4 in	10	5 1/2 in	0.425 to 0.438 in	Blister of 3 units
HLHDG146B	1/4 in	10	6 in	0.425 to 0.438 in	Blister of 3 units
HLHDG38112B	3/8 in	7	1 1/2 in	0.544 to 0.562 in	Blister of 4 units
HLHDG382B	3/8 in	7	2 in	0.544 to 0.562 in	Blister of 4 units
HLHDG38212B	3/8 in	7	2 1/2 in	0.544 to 0.562 in	Blister of 3 units
HLHDG383B	3/8 in	7	3 in	0.544 to 0.562 in	Blister of 3 units
HLHDG38312B	3/8 in	7	3 1/2 in	0.544 to 0.562 in	Blister of 2 units
HLHDG384B	3/8 in	7	4 in	0.544 to 0.562 in	Blister of 2 units
HLHDG38412B	3/8 in	7	4 1/2 in	0.544 to 0.562 in	Blister of 2 units
HLHDG385B	3/8 in	7	5 in	0.544 to 0.562 in	Blister of 2 units
HLHDG38512B	3/8 in	7	5 1/2 in	0.544 to 0.562 in	Blister of 2 units
HLHDG386B	3/8 in	7	6 in	0.544 to 0.562 in	Blister of 2 units
HLHDG388B	3/8 in	7	8 in	0.544 to 0.562 in	Bag of 2 units
HLHDG516112B	5/16 in	9	1 1/2 in	0.484 to 0.5 in	Blister of 4 units
HLHDG5162B	5/16 in	9	2 in	0.484 to 0.5 in	Blister of 4 units
HLHDG516212B	5/16 in	9	2 1/2 in	0.484 to 0.5 in	Blister of 4 units
HLHDG5163B	5/16 in	9	3 in	0.484 to 0.5 in	Blister of 4 units
HLHDG516312B	5/16 in	9	3 1/2 in	0.484 to 0.5 in	Blister of 3 units
HLHDG5164B	5/16 in	9	4 in	0.484 to 0.5 in	Blister of 3 units
HLHDG516412B	5/16 in	9	4 1/2 in	0.484 to 0.5 in	Blister of 3 units
HLHDG5165B	5/16 in	9	5 in	0.484 to 0.5 in	Blister of 2 units
HLHDG516512B	5/16 in	9	5 1/2 in	0.484 to 0.5 in	Blister of 2 units
HLHDG5166B	5/16 in	9	6 in	0.484 to 0.5 in	Blister of 2 units

TECHNICAL SPECIFICATIONS

Type of Bolts	Lag Bolt
Material	Hot-Dip Galvanized Steel
Steel Grade	ASTM A307
Head	Hexagon
Type of Point	Lag Bolt
Thread Type	Coarse
Finish	Hot-Dip Galvanized
Brand	Reliable
Standards and Certifications	ASTM A307
Included Products	Flat Washer
Thread	Partial thread
Specific Application	Structure Assembly

INCLUDED PRODUCT(S)

*Washers included

PRODUCT PHOTOS