



Hex Nut - Hot-dip Galvanized Steel

Bolt Diameter/Size

1/2 in	1/4 in	3/4 in	3/8 in	5/16 in
5/8 in				

Thread Count (Pitch/TPI)

10	11	13	16	18
20				

Thickness

0.212 to 0.226 in	0.258 to 0.273 in	0.32 to 0.337 in	0.427 to 0.448 in	0.535 to 0.559 in
0.617 to 0.665 in				

Corner-to-Corner Head Dimensions

0 to 0.75 in	0.428 to 0.438 in	0.489 to 0.5 in	0.551 to 0.563 in	0.736 to 0.75 in
0.922 to 0.938 in	1.088 to 1.125 in			

Packaging format

Blister of 2 units	Blister of 3 units	Blister of 4 units	Blister of 5 units	Blister of 6 units
Box of 20	Box of 25	Box of 50	Box of 138	Box of 225
Box of 300	Box of 338	Box of 505	Box of 900	Box of 925
Box of 2500	Box of 3500	Box of 6000		

DESCRIPTION

FHNCHD

These hexagonal nuts are made of Grade A galvanized steel. They are ideal for structure assembly.

AVAILABLE PRODUCTS

Product #	Bolt Diameter/Size	Thread Count (Pitch/TPI)	Thickness	Corner-to-Corner Head Dimensions	Packaging format
FHNCHDG12LBS5	1/2 in	13	0.427 to 0.448 in	0 to 0.75 in	Box of 138
FHNCHDG12MR	1/2 in	13	0.427 to 0.448 in	0.736 to 0.75 in	Blister of 3 units
FHNCHDG12VP	1/2 in	13	0.427 to 0.448 in	0.736 to 0.75 in	Box of 25
FHNCHDG12	1/2 in	13	0.427 to 0.448 in	0.736 to 0.75 in	Box of 900
FHNCHDG14MR	1/4 in	20	0.212 to 0.226 in	0.428 to 0.438 in	Blister of 6 units
FHNCHDG14VP	1/4 in	20	0.212 to 0.226 in	0.428 to 0.438 in	Box of 50
FHNCHDG14LBS5	1/4 in	20	0.212 to 0.226 in	0.428 to 0.438 in	Box of 925
FHNCHDG14	1/4 in	20	0.212 to 0.226 in	0.428 to 0.438 in	Box of 6000
FHNCHDG34CT	3/4 in	10	0.617 to 0.665 in	1.088 to 1.125 in	Box of 20
FHNCHDG34	3/4 in	10	0.617 to 0.665 in	1.088 to 1.125 in	Box of 225
FHNCHDG38MR	3/8 in	16	0.32 to 0.337 in	0.551 to 0.563 in	Blister of 4 units
FHNCHDG38VP	3/8 in	16	0.32 to 0.337 in	0.551 to 0.563 in	Box of 25
FHNCHDG38LBS5	3/8 in	16	0.32 to 0.337 in	0.551 to 0.563 in	Box of 338
FHNCHDG38	3/8 in	16	0.32 to 0.337 in	0.551 to 0.563 in	Box of 2500
FHNCHDG516MR	5/16 in	18	0.258 to 0.273 in	0.489 to 0.5 in	Blister of 5 units
FHNCHDG516VP	5/16 in	18	0.258 to 0.273 in	0.489 to 0.5 in	Box of 50
FHNCHDG516LBS5	5/16 in	18	0.258 to 0.273 in	0.489 to 0.5 in	Box of 505
FHNCHDG516	5/16 in	18	0.258 to 0.273 in	0.489 to 0.5 in	Box of 3500
FHNCHDG58MR	5/8 in	11	0.535 to 0.559 in	0.922 to 0.938 in	Blister of 2 units
FHNCHDG58CT	5/8 in	11	0.535 to 0.559 in	0.922 to 0.938 in	Box of 25
FHNCHDG58	5/8 in	11	0.535 to 0.559 in	0.922 to 0.938 in	Box of 300

TECHNICAL SPECIFICATIONS

Material	Hot-Dip Galvanized Steel
Finish	Hot-Dip Galvanized
Brand	Reliable
Steel Grade	ASTM A563
Standards and Certifications	ASTM A563
Specific Application	Structure Assembly
Type of nuts	Hex Nut

PRODUCT PHOTOS

