



Concrete Screw with Gold Seal Coating, Hexagonal Head with Washer, Scorpion Tail Thread, Diamond Point

Screw Size

1/4

3/16

Tool to use

1/4 in

5/16 in

Length

1 1/4 in

1 3/4 in

2 1/4 in

2 3/4 in

3 1/4 in

4 in

5 in

6 in

Threading

Full thread

Partial thread

Bit Dimensions

3/16 x 3 1/2

3/16 x 4 1/2

3/16 x 4 1/2

3/16 x 4 1/2

3/16 x 5 1/2

3/16 x 5 1/2

3/16 x 5 1/2

3/16 x 6 1/2

3/16 x 6 1/2

3/16 x 6 1/2

5/32 x 3 1/2

5/32 x 3 1/2

5/32 x 3 1/2

5/32 x 3 1/2

5/32 x 4 1/2

5/32 x 4 1/2

5/32 x 4 1/2

5/32 x 5 1/2

5/32 x 5 1/2

5/32 x 5 1/2

Concrete Drill Bit Included

Included

Not Included

Packaging format

Blister of 6 units

Blister of 6 units

Blister of 8 units

Blister of 10 units

Box of 25

Box of 25

Box of 50

Box of 150

Box of 150

Box of 600

Box of 800

Box of 1000

Box of 1200

Box of 1500

Box of 2000

Box of 2500

Box of 3500

Box of 4500

DESCRIPTION

Gold Tap Pro

- *Bigger body makes gold tap pro screws less prone to head snapping.
- *Arrow tip displaces loose material for greater dependability on the job site.
- *Aggressive "scorpion tail" thread designed to reduce required drive in torque.
- *High pull-out and exceptional shear values.
- *Increases productivity of the pros!

AVAILABLE PRODUCTS

Product #	Screw Size	Tool to use	Length	Threading	Bit Dimensions	Concrete Drill Bit Included	Packaging format
HCSDPD14114MR	1/4	5/16 in	1 1/4 in	Full thread	3/16 x 3 1/2	Included	Blister of 10 units
HCSDP14114VP	1/4	5/16 in	1 1/4 in	Full thread	3/16 x 3 1/2	Included	Box of 50
HCSDP14114MR	1/4	5/16 in	1 1/4 in	Full thread	3/16 x 3 1/2	Not Included	Blister of 10 units
HCSDP14114CT	1/4	5/16 in	1 1/4 in	Full thread	3/16 x 3 1/2	Not Included	Box of 150
HCSDP14114	1/4	5/16 in	1 1/4 in	Full thread	3/16 x 3 1/2	Not Included	Box of 3500
HCSDPD14134MR	1/4	5/16 in	1 3/4 in	Full thread	3/16 x 3 1/2	Included	Blister of 10 units
HCSDP14134VP	1/4	5/16 in	1 3/4 in	Full thread	3/16 x 3 1/2	Included	Box of 50
HCSDP14134MR	1/4	5/16 in	1 3/4 in	Full thread	3/16 x 3 1/2	Not Included	Blister of 10 units
HCSDP14134CT	1/4	5/16 in	1 3/4 in	Full thread	3/16 x 3 1/2	Not Included	Box of 150
HCSDP14134	1/4	5/16 in	1 3/4 in	Full thread	3/16 x 3 1/2	Not Included	Box of 2500
HCSDP14214VP	1/4	5/16 in	2 1/4 in	Partial thread	3/16 x 4 1/2	Included	Box of 50
HCSDP14214	1/4	5/16 in	2 1/4 in	Partial thread	3/16 x 4 1/2	Not Included	Box of 2000
HCSDPD14214MR	1/4	5/16 in	2 1/4 in	Partial thread	3/16 x 4 1/2	Included	Blister of 8 units
HCSDP14214MR	1/4	5/16 in	2 1/4 in	Partial thread	3/16 x 4 1/2	Not Included	Blister of 8 units
HCSDP14214CT	1/4	5/16 in	2 1/4 in	Partial thread	3/16 x 4 1/2	Not Included	Box of 150
HCSDPD14234MR	1/4	5/16 in	2 3/4 in	Partial thread	3/16 x 4 1/2	Included	Blister of 8 units
HCSDP14234VP	1/4	5/16 in	2 3/4 in	Partial thread	3/16 x 4 1/2	Included	Box of 50
HCSDP14234MR	1/4	5/16 in	2 3/4 in	Partial thread	3/16 x 4 1/2	Not Included	Blister of 8 units
HCSDP14234	1/4	5/16 in	2 3/4 in	Partial thread	3/16 x 4 1/2	Not Included	Box of 1200
HCSDP14234CT	1/4	5/16 in	2 3/4 in	Partial thread	3/16 x 4 1/2	Not Included	Box of 150
HCSDP14314VP	1/4	5/16 in	3 1/4 in	Partial thread	3/16 x 5 1/2	Included	Box of 50
HCSDP14314	1/4	5/16 in	3 1/4 in	Partial thread	3/16 x 5 1/2	Not Included	Box of 1000

Product #	Screw Size	Tool to use	Length	Threading	Bit Dimensions	Concrete Drill Bit Included	Packaging format
HCSDP14314MR	1/4	5/16 in	3 1/4 in	Partial thread	3/16 x 5 1/2	Not Included	Blister of 6 units
HCSDP14314CT	1/4	5/16 in	3 1/4 in	Partial thread	3/16 x 5 1/2	Not Included	Box of 150
HCSDPD14314MR	1/4	5/16 in	3 1/4 in	Partial thread	3/16 x 5 1/2	Included	Blister of 6 units
HCSDP144MR	1/4	5/16 in	4 in	Partial thread	3/16 x 5 1/2	Not Included	Blister of 6 units
HCSDPD144MR	1/4	5/16 in	4 in	Partial thread	3/16 x 5 1/2	Included	Blister of 6 units
HCSDP144VP	1/4	5/16 in	4 in	Partial thread	3/16 x 5 1/2	Included	Box of 50
HCSDP144CT	1/4	5/16 in	4 in	Partial thread	3/16 x 5 1/2	Not Included	Box of 150
HCSDP144	1/4	5/16 in	4 in	Partial thread	3/16 x 5 1/2	Not Included	Box of 800
HCSDP145MR	1/4	5/16 in	5 in	Partial thread	3/16 x 6 1/2	Not Included	Blister of 6 units
HCSDPD145MR	1/4	5/16 in	5 in	Partial thread	3/16 x 6 1/2	Included	Blister of 6 units
HCSDP145CT	1/4	5/16 in	5 in	Partial thread	3/16 x 6 1/2	Not Included	Box of 150
HCSDP145VP	1/4	5/16 in	5 in	Partial thread	3/16 x 6 1/2	Included	Box of 25
HCSDP145	1/4	5/16 in	5 in	Partial thread	3/16 x 6 1/2	Not Included	Box of 600
HCSDP146VP	1/4	5/16 in	6 in	Partial thread	3/16 x 6 1/2	Not Included	Box of 25
HCSDP146	1/4	5/16 in	6 in	Partial thread	3/16 x 6 1/2	Not Included	Box of 600
HCSDP146MR	1/4	5/16 in	6 in	Partial thread	3/16 x 6 1/2	Not Included	Blister of 6 units
HCSDP146CT	1/4	5/16 in	6 in	Partial thread	3/16 x 6 1/2	Not Included	Box of 150
HCSDPD316114MR	3/16	1/4 in	1 1/4 in	Full thread	5/32 x 3 1/2	Included	Blister of 10 units
HCSDP316114CT	3/16	1/4 in	1 1/4 in	Full thread	5/32 x 3 1/2	Not Included	Box of 150
HCSDP316114VP	3/16	1/4 in	1 1/4 in	Full thread	5/32 x 3 1/2	Included	Box of 50
HCSDP316114MR	3/16	1/4 in	1 1/4 in	Full thread	5/32 x 3 1/2	Not Included	Blister of 10 units
HCSDP316114	3/16	1/4 in	1 1/4 in	Full thread	5/32 x 3 1/2	Not Included	Box of 4500
HCSDP316134VP	3/16	1/4 in	1 3/4 in	Full thread	5/32 x 3 1/2	Included	Box of 50
HCSDP316134	3/16	1/4 in	1 3/4 in	Full thread	5/32 x 3 1/2	Not Included	Box of 3500
HCSDPD316134MR	3/16	1/4 in	1 3/4 in	Full thread	5/32 x 3 1/2	Included	Blister of 10 units
HCSDP316134MR	3/16	1/4 in	1 3/4 in	Full thread	5/32 x 4 1/2	Not Included	Blister of 10 units
HCSDP316134CT	3/16	1/4 in	1 3/4 in	Full thread	5/32 x 4 1/2	Not Included	Box of 150
HCSDPD316214MR	3/16	1/4 in	2 1/4 in	Partial thread	5/32 x 4 1/2	Included	Blister of 10 units
HCSDP316214MR	3/16	1/4 in	2 1/4 in	Partial thread	5/32 x 4 1/2	Not Included	Blister of 10 units
HCSDP316214CT	3/16	1/4 in	2 1/4 in	Partial thread	5/32 x 4 1/2	Not Included	Box of 150

Product #	Screw Size	Tool to use	Length	Threading	Bit Dimensions	Concrete Drill Bit Included	Packaging format
HCSDP316214VP	3/16	1/4 in	2 1/4 in	Partial thread	5/32 x 4 1/2	Included	Box of 50
HCSDP316214	3/16	1/4 in	2 1/4 in	Partial thread	5/32 x 4 1/2	Not Included	Box of 2500
HCSDP316234CT	3/16	1/4 in	2 3/4 in	Partial thread	5/32 x 4 1/2	Not Included	Box of 150
HCSDPD316234MR	3/16	1/4 in	2 3/4 in	Partial thread	5/32 x 4 1/2	Included	Blister of 10 units
HCSDP316234VP	3/16	1/4 in	2 3/4 in	Partial thread	5/32 x 4 1/2	Included	Box of 50
HCSDP316234MR	3/16	1/4 in	2 3/4 in	Partial thread	5/32 x 4 1/2	Not Included	Blister of 10 units
HCSDP316234	3/16	1/4 in	2 3/4 in	Partial thread	5/32 x 4 1/2	Not Included	Box of 2000
HCSDP316314VP	3/16	1/4 in	3 1/4 in	Partial thread	5/32 x 5 1/2	Included	Box of 50
HCSDP316314CT	3/16	1/4 in	3 1/4 in	Partial thread	5/32 x 5 1/2	Not Included	Box of 150
HCSDP316314	3/16	1/4 in	3 1/4 in	Partial thread	5/32 x 5 1/2	Not Included	Box of 1500
HCSDPD316314MR	3/16	1/4 in	3 1/4 in	Partial thread	5/32 x 5 1/2	Included	Blister of 8 units
HCSDP316314MR	3/16	1/4 in	3 1/4 in	Partial thread	5/32 x 5 1/2	Not Included	Blister of 8 units
HCSDP3164VP	3/16	1/4 in	4 in	Partial thread	5/32 x 5 1/2	Included	Box of 50
HCSDP3164CT	3/16	1/4 in	4 in	Partial thread	5/32 x 5 1/2	Not Included	Box of 150
HCSDP3164	3/16	1/4 in	4 in	Partial thread	5/32 x 5 1/2	Not Included	Box of 1000
HCSDPD3164MR	3/16	1/4 in	4 in	Partial thread	5/32 x 5 1/2	Included	Blister of 6 units
HCSDP3164MR	3/16	5/16 in	4 in	Partial thread	5/32 x 5 1/2	Not Included	Blister of 6 units

TECHNICAL SPECIFICATIONS

Drive required	Flat
Finish	Gold Seal 1150
Head Type	Hexagon with Washer
Thread Type	Scorpion Tail
Point Type	Diamond
Brand	Gold Tap Pro
Specific Application	Concrete
Standards and Certifications	ACQ Treatment
Material	Steel

IMPORTANT INFORMATION

-Corrosion resistance: 1150 hours -ACQ certification - 5 "V" Threads Arrow Tip

PRODUCT PHOTOS

