



Concrete Screw with Gold Seal Coating, Flat Head, Square Drive, Scorpion Tail Thread, Diamond Point

Screw Size

1/4	3/16
-----	------

Length

1 1/4 in	1 3/4 in	2 1/4 in	2 3/4 in	3 1/4 in
4 in	5 in	6 in		

Threading

Full thread	Partial thread
-------------	----------------

Drive Size

#2 (Red)	#3 (Black)	#3 (Phillips)
----------	------------	---------------

Bit Dimensions

3/16 x 3 1/2	3/16 x 4 1/2	3/16 x 4 1/2	3/16 x 4 1/2	3/16 x 5 1/2
3/16 x 5 1/2	3/16 x 5 1/2	3/16 x 6 1/2	3/16 x 6 1/2	5/32 x 3 1/2
5/32 x 3 1/2	5/32 x 3 1/2	5/32 x 3 1/2	5/32 x 4 1/2	5/32 x 4 1/2
5/32 x 4 1/2	5/32 x 5 1/2	5/32 x 5 1/2	5/32 x 5 1/2	

Concrete Drill Bit Included

Included	Not Included
----------	--------------

Packaging format

Blister of 6 units	Blister of 6 units	Blister of 8 units	Blister of 10 units	Box of 25
				Box of 25
Box of 50	Box of 150	Box of 150	Box of 600	Box of 800
Box of 1000	Box of 1200	Box of 1500	Box of 2000	Box of 2500
Box of 3500	Box of 4500			

DESCRIPTION

Gold Tap Pro

*Its shaft, which is larger than the competition, prevents the head from breaking.
*Its arrow point repels dust on walls for better reliability

*Its aggressive "scorpion" thread is designed to limit the force required for installation.
*It has outstanding resistance, particularly against shearing.
*It increases the productivity of pros!

AVAILABLE PRODUCTS

Product #	Screw Size	Length	Threading	Drive Size	Bit Dimensions	Concrete Drill Bit Included	Packaging format
FKCSDPD14114MR	1/4	1 1/4 in	Full thread	#3 (Black)	3/16 x 3 1/2	Included	Blister of 10 units
FKCSDP14114VP	1/4	1 1/4 in	Full thread	#3 (Black)	3/16 x 3 1/2	Included	Box of 50
FKCSDP14114MR	1/4	1 1/4 in	Full thread	#3 (Black)	3/16 x 3 1/2	Not Included	Blister of 10 units
FKCSDP14114CT	1/4	1 1/4 in	Full thread	#3 (Black)	3/16 x 3 1/2	Not Included	Box of 150
FKCSDP14114	1/4	1 1/4 in	Full thread	#3 (Black)	3/16 x 3 1/2	Not Included	Box of 3500
FKCSDPD14134MR	1/4	1 3/4 in	Full thread	#3 (Black)	3/16 x 3 1/2	Included	Blister of 10 units
FKCSDP14134VP	1/4	1 3/4 in	Full thread	#3 (Black)	3/16 x 3 1/2	Included	Box of 50
FKCSDP14134MR	1/4	1 3/4 in	Full thread	#3 (Black)	3/16 x 3 1/2	Not Included	Blister of 10 units
FKCSDP14134CT	1/4	1 3/4 in	Full thread	#3 (Black)	3/16 x 3 1/2	Not Included	Box of 150
FKCSDP14134	1/4	1 3/4 in	Full thread	#3 (Black)	3/16 x 3 1/2	Not Included	Box of 2500
FKCSDPD14214MR	1/4	2 1/4 in	Partial thread	#3 (Black)	3/16 x 4 1/2	Included	Blister of 8 units
FKCSDP14214MR	1/4	2 1/4 in	Partial thread	#3 (Black)	3/16 x 4 1/2	Not Included	Blister of 8 units
FKCSDP14214CT	1/4	2 1/4 in	Partial thread	#3 (Black)	3/16 x 4 1/2	Not Included	Box of 150
FKCSDP14214VP	1/4	2 1/4 in	Partial thread	#3 (Black)	3/16 x 4 1/2	Included	Box of 50
FKCSDP14214	1/4	2 1/4 in	Partial thread	#3 (Black)	3/16 x 4 1/2	Not Included	Box of 2000
FKCSDPD14234MR	1/4	2 3/4 in	Partial thread	#3 (Black)	3/16 x 4 1/2	Included	Blister of 8 units
FKCSDP14234MR	1/4	2 3/4 in	Partial thread	#3 (Black)	3/16 x 4 1/2	Not Included	Blister of 8 units
FKCSDP14234VP	1/4	2 3/4 in	Partial thread	#3 (Black)	3/16 x 4 1/2	Included	Box of 50
FKCSDP14234CT	1/4	2 3/4 in	Partial thread	#3 (Black)	3/16 x 4 1/2	Not Included	Box of 150
FKCSDP14234	1/4	2 3/4 in	Partial thread	#3 (Black)	3/16 x 4 1/2	Not Included	Box of 1500
FKCSDPD14314MR	1/4	3 1/4 in	Partial thread	#3 (Black)	3/16 x 5 1/2	Included	Blister of 6 units
FKCSDP14314VP	1/4	3 1/4 in	Partial thread	#3 (Black)	3/16 x 5 1/2	Included	Box of 50

Product #	Screw Size	Length	Threading	Drive Size	Bit Dimensions	Concrete Drill Bit Included	Packaging format
FKCSDP14314MR	1/4	3 1/4 in	Partial thread	#3 (Black)	3/16 x 5 1/2	Not Included	Blister of 6 units
FKCSDP14314CT	1/4	3 1/4 in	Partial thread	#3 (Black)	3/16 x 5 1/2	Not Included	Box of 150
FKCSDP14314	1/4	3 1/4 in	Partial thread	#3 (Black)	3/16 x 5 1/2	Not Included	Box of 1200
FKCSDPD144MR	1/4	4 in	Partial thread	#3 (Black)	3/16 x 4 1/2	Included	Blister of 6 units
FKCSDP144MR	1/4	4 in	Partial thread	#3 (Black)	3/16 x 4 1/2	Not Included	Blister of 6 units
FKCSDP144VP	1/4	4 in	Partial thread	#3 (Black)	3/16 x 5 1/2	Included	Box of 50
FKCSDP144	1/4	4 in	Partial thread	#3 (Black)	3/16 x 5 1/2	Not Included	Box of 800
FKCSDP144CT	1/4	4 in	Partial thread	#3 (Black)	3/16 x 5 1/2	Not Included	Box of 150
FKCSDP145CT	1/4	5 in	Partial thread	#3 (Black)	3/16 x 6 1/2	Not Included	Box of 150
FKCSDPD145MR	1/4	5 in	Partial thread	#3 (Black)	3/16 x 6 1/2	Included	Blister of 6 units
FKCSDP145MR	1/4	5 in	Partial thread	#3 (Black)	3/16 x 6 1/2	Not Included	Blister of 6 units
FKCSDP145	1/4	5 in	Partial thread	#3 (Black)	3/16 x 6 1/2	Not Included	Box of 600
FKCSDP145VP	1/4	5 in	Partial thread	#3 (Phillips)	3/16 x 6 1/2	Included	Box of 25
FKCSDP146VP	1/4	6 in	Partial thread	#3 (Black)	3/16 x 6 1/2	Not Included	Box of 25
FKCSDP146CT	1/4	6 in	Partial thread	#3 (Black)	3/16 x 6 1/2	Not Included	Box of 150
FKCSDP146	1/4	6 in	Partial thread	#3 (Black)	3/16 x 6 1/2	Not Included	Box of 600
FKCSDP146MR	1/4	6 in	Partial thread	#3 (Black)	3/16 x 6 1/2	Not Included	Blister of 6 units
FKCSDPD316114MR	3/16	1 1/4 in	Full thread	#2 (Red)	5/32 x 3 1/2	Included	Blister of 10 units
FKCSDP316114VP	3/16	1 1/4 in	Full thread	#2 (Red)	5/32 x 3 1/2	Included	Box of 50
FKCSDP316114	3/16	1 1/4 in	Full thread	#2 (Red)	5/32 x 3 1/2	Not Included	Box of 4500
FKCSDP316114MR	3/16	1 1/4 in	Full thread	#2 (Red)	5/32 x 3 1/2	Not Included	Blister of 10 units
FKCSDP316114CT	3/16	1 1/4 in	Full thread	#2 (Red)	5/32 x 3 1/2	Not Included	Box of 150
FKCSDPD316134MR	3/16	1 3/4 in	Full thread	#2 (Red)	5/32 x 3 1/2	Included	Blister of 10 units
FKCSDP316134VP	3/16	1 3/4 in	Full thread	#2 (Red)	5/32 x 3 1/2	Included	Box of 50
FKCSDP316134	3/16	1 3/4 in	Full thread	#2 (Red)	5/32 x 3 1/2	Not Included	Box of 3500

Product #	Screw Size	Length	Threading	Drive Size	Bit Dimensions	Concrete Drill Bit Included	Packaging format
FKCSDP316134MR	3/16	1 3/4 in	Full thread	#2 (Red)	5/32 x 3 1/2	Not Included	Blister of 10 units
FKCSDP316134CT	3/16	1 3/4 in	Full thread	#2 (Red)	5/32 x 3 1/2	Not Included	Box of 150
FKCSDP316214MR	3/16	2 1/4 in	Partial thread	#2 (Red)	5/32 x 4 1/2	Not Included	Blister of 10 units
FKCSDP316214CT	3/16	2 1/4 in	Partial thread	#2 (Red)	5/32 x 4 1/2	Not Included	Box of 150
FKCSDPD316214MR	3/16	2 1/4 in	Partial thread	#2 (Red)	5/32 x 4 1/2	Included	Blister of 10 units
FKCSDP316214VP	3/16	2 1/4 in	Partial thread	#2 (Red)	5/32 x 4 1/2	Included	Box of 50
FKCSDP316214	3/16	2 1/4 in	Partial thread	#2 (Red)	5/32 x 4 1/2	Not Included	Box of 2500
FKCSDP316234MR	3/16	2 3/4 in	Partial thread	#2 (Red)	5/32 x 3 1/2	Not Included	Blister of 10 units
FKCSDP316234VP	3/16	2 3/4 in	Partial thread	#2 (Red)	5/32 x 4 1/2	Included	Box of 50
FKCSDP316234	3/16	2 3/4 in	Partial thread	#2 (Red)	5/32 x 4 1/2	Not Included	Box of 2000
FKCSDPD316234MR	3/16	2 3/4 in	Partial thread	#2 (Red)	5/32 x 4 1/2	Included	Blister of 10 units
FKCSDP316234CT	3/16	2 3/4 in	Partial thread	#2 (Red)	5/32 x 4 1/2	Not Included	Box of 150
FKCSDP316314MR	3/16	3 1/4 in	Partial thread	#2 (Red)	5/32 x 3 1/2	Not Included	Blister of 8 units
FKCSDPD316314MR	3/16	3 1/4 in	Partial thread	#2 (Red)	5/32 x 5 1/2	Included	Blister of 8 units
FKCSDP316314VP	3/16	3 1/4 in	Partial thread	#2 (Red)	5/32 x 5 1/2	Included	Box of 50
FKCSDP316314	3/16	3 1/4 in	Partial thread	#2 (Red)	5/32 x 5 1/2	Not Included	Box of 1500
FKCSDP316314CT	3/16	3 1/4 in	Partial thread	#2 (Red)	5/32 x 5 1/2	Not Included	Box of 150
FKCSDP3164VP	3/16	4 in	Partial thread	#2 (Red)	5/32 x 5 1/2	Included	Box of 50
FKCSDP3164	3/16	4 in	Partial thread	#2 (Red)	5/32 x 5 1/2	Not Included	Box of 1000
FKCSDPD3164MR	3/16	4 in	Partial thread	#2 (Red)	5/32 x 5 1/2	Included	Blister of 6 units
FKCSDP3164CT	3/16	4 in	Partial thread	#2 (Red)	5/32 x 5 1/2	Not Included	Box of 150
FKCSDP3164MR	3/16	4 in	Partial thread	#2 (Red)	5/32 x 5 1/2	Not Included	Blister of 6 units

TECHNICAL SPECIFICATIONS

Drive required	Square
Finish	Gold Seal 1150
Head Type	Flat
Thread Type	Scorpion Tail
Point Type	Diamond
Brand	Gold Tap Pro
Specific Application	Concrete
Material	Steel

PRODUCT PHOTOS

