



Carriage Bolt, Pan Head - Stainless Steel

Bolt Diameter/Size

1/2 in

Thread Count (Pitch/TPI)

13 16	18	20
-------	----	----

Length

1 in	1 1/2 in	2 in	2 1/2 in	3 in
4 in	5 in	6 in		

Corner-to-Corner Head Dimensions

0.364 to 0.374	0.563 to 0.594	0.688 to 0.719	1.032 to 1.064	Min. 1.032
mm	mm	mm	mm	mm

Packaging format

Box of 10	Box of 20	Box of 25	Box of 50	Box of 60
Box of 75	Box of 100	Box of 125	Box of 150	Box of 200
Box of 250	Box of 300	Box of 400	Box of 500	Box of 600
Box of 700	Box of 800	Box of 1000	Box of 1500	

AVAILABLE PRODUCTS

Product #	Bolt Diameter/Size	Thread Count (Pitch/TPI)	Length	Corner-to-Corner Head Dimensions	Packaging format
CBS12112CT	1/2 in	13	1 1/2 in	1.032 to 1.064 mm	Box of 20
CBS12112	1/2 in	13	1 1/2 in	1.032 to 1.064 mm	Box of 200
CBS122CT	1/2 in	13	2 in	1.032 to 1.064 mm	Box of 20
CBS122	1/2 in	13	2 in	1.032 to 1.064 mm	Box of 150
CBS12212CT	1/2 in	13	2 1/2 in	1.032 to 1.064 mm	Box of 20
CBS12212	1/2 in	13	2 1/2 in	1.032 to 1.064 mm	Box of 150
CBS123CT	1/2 in	13	3 in	1.032 to 1.064 mm	Box of 20
CBS123	1/2 in	13	3 in	1.032 to 1.064 mm	Box of 125
CBS124CT	1/2 in	13	4 in	1.032 to 1.064 mm	Box of 10
CBS124	1/2 in	13	4 in	1.032 to 1.064 mm	Box of 100
CBS125CT	1/2 in	13	5 in	1.032 to 1.064 mm	Box of 10
CBS125	1/2 in	13	5 in	1.032 to 1.064 mm	Box of 75
CBS126	1/2 in	13	6 in	1.032 to 1.064 mm	Box of 60



Product #	Bolt Diameter/Size	Thread Count (Pitch/TPI)	Length	Corner-to-Corner Head Dimensions	Packaging format
CBS126CT	1/2 in	13	6 in	Min. 1.032 mm	Box of 10
CBS141CT	1/4 in	20	1 in	0.563 to 0.594 mm	Box of 50
CBS141	1/4 in	20	1 in	0.563 to 0.594 mm	Box of 1500
CBS14112CT	1/4 in	20	1 1/2 in	0.563 to 0.594 mm	Box of 50
CBS14112	1/4 in	20	1 1/2 in	0.563 to 0.594 mm	Box of 1000
CBS142CT	1/4 in	20	2 in	0.563 to 0.594 mm	Box of 50
CBS142	1/4 in	20	2 in	0.563 to 0.594 mm	Box of 800
CBS14212CT	1/4 in	20	2 1/2 in	0.563 to 0.594 mm	Box of 50
CBS14212	1/4 in	20	2 1/2 in	0.563 to 0.594 mm	Box of 700
CBS143CT	1/4 in	20	3 in	0.563 to 0.594 mm	Box of 25
CBS143	1/4 in	20	3 in	0.563 to 0.594 mm	Box of 600
CBS144CT	1/4 in	20	4 in	0.563 to 0.594 mm	Box of 25
CBS144	1/4 in	20	4 in	0.563 to 0.594 mm	Box of 500
CBS38112CT	3/8 in	16	1 1/2 in	0.364 to 0.374 mm	Box of 50
CBS38112	3/8 in	16	1 1/2 in	0.364 to 0.374 mm	Box of 400
CBS382CT	3/8 in	16	2 in	0.364 to 0.374 mm	Box of 50
CBS382	3/8 in	16	2 in	0.364 to 0.374 mm	Box of 300
CBS38212CT	3/8 in	16	2 1/2 in	0.364 to 0.374 mm	Box of 50
CBS38212	3/8 in	16	2 1/2 in	0.364 to 0.374 mm	Box of 300
CBS383CT	3/8 in	16	3 in	0.364 to 0.374 mm	Box of 25
CBS383	3/8 in	16	3 in	0.364 to 0.374 mm	Box of 250
CBS384CT	3/8 in	16	4 in	0.364 to 0.374 mm	Box of 25
CBS384	3/8 in	16	4 in	0.364 to 0.374 mm	Box of 200
CBS385CT	3/8 in	16	5 in	0.364 to 0.374 mm	Box of 20
CBS385	3/8 in	16	5 in	0.364 to 0.374 mm	Box of 150
CBS386CT	3/8 in	16	6 in	0.364 to 0.374 mm	Box of 20
CBS386	3/8 in	16	6 in	0.364 to 0.374 mm	Box of 125
CBS516112CT	5/16 in	18	1 1/2 in	0.688 to 0.719 mm	Box of 50
CBS516112	5/16 in	18	1 1/2 in	0.688 to 0.719 mm	Box of 600
CBS5162CT	5/16 in	18	2 in	0.688 to 0.719 mm	Box of 50
CBS5162	5/16 in	18	2 in	0.688 to 0.719 mm	Box of 500
CBS516212CT	5/16 in	18	2 1/2 in	0.688 to 0.719 mm	Box of 50
CBS516212	5/16 in	18	2 1/2 in	0.688 to 0.719 mm	Box of 400
CBS5163CT	5/16 in	18	3 in	0.688 to 0.719 mm	Box of 25
CBS5163	5/16 in	18	3 in	0.688 to 0.719 mm	Box of 300
CBS5164CT	5/16 in	18	4 in	0.688 to 0.719 mm	Box of 25
CBS5164	5/16 in	18	4 in	0.688 to 0.719 mm	Box of 250



TECHNICAL SPECIFICATIONS

Type of Bolts	Carriage
Material	Stainless Steel 18/8
Head	Round
Type of Point	Blunt
Thread Type	Coarse
Finish	Stainless Steel
Brand	Reliable
Included Products	None
Thread	Full thread

PRODUCT PHOTOS

