



Plain Wood Screw, Flat Head, Quadrex Drive, Coarse Thread, Type 17 point

Screw Size

6	8
---	---

Length

1 in	1 1/4 in	1 1/2 in	1 3/4 in	2 in
2 1/4 in	2 1/2 in	3 in		

Function



Head Size

no. 6	no. 8
-------	-------

Drive Size

#1 (Green)	#2 (Red)
------------	----------

Thread Count (Pitch/TPI)

10	12	Not Applicable
----	----	----------------

Packaging format

Box of 150	Box of 250	Box of 350	Box of 500	Box of 750
Box of 2000	Box of 2500	Box of 3000	Box of 4000	Box of 5000
Box of 6000	Box of 8000			

DESCRIPTION

Self-drilling screw without plating

Recommended for general use with all types of wood, plywood and particleboard. The screws have a flat head and Quadrex drive, and they can be driven flush to surface or countersunk below the surface to suit your project

ADVANTAGES AND BENEFITS

The Type 17 point eliminates the pre-drilling step. It also prevents wood from breaking and splintering. The coarse thread design enhances the holding power of the screw,

providing a strong and secure connection.

AVAILABLE PRODUCTS

Product #	Screw Size	Length	Function	Head Size	Drive Size	Thread Count (Pitch/TPI)	Packaging format
FQC17P6134J	6	1 3/4 in	Assembly	no. 6	#1 (Green)	12	Box of 350
FQC17P6134	6	1 3/4 in	Assembly	no. 6	#1 (Green)	12	Box of 5000
FQC17P81J	8	1 in	Hinges and Hardware	no. 8	#2 (Red)	10	Box of 750
FQC17P81	8	1 in	Hinges and Hardware	no. 8	#2 (Red)	10	Box of 8000
FQC17P8114J	8	1 1/4 in	Assembly	no. 8	#2 (Red)	10	Box of 500
FQC17P8114PRJ	8	1 1/4 in	Assembly	no. 8	#2 (Red)	10	Box of 500
FQC17P8114PR	8	1 1/4 in	Assembly	no. 8	#2 (Red)	10	Box of 6000
FQC17P8112	8	1 1/2 in	Assembly	no. 8	#2 (Red)	10	Box of 5000
FQC17P8134	8	1 3/4 in	Assembly	no. 8	#2 (Red)	10	Box of 4000
FQC17P82	8	2 in	Assembly	no. 8	#2 (Red)	10	Box of 3000
FQC17P8214J	8	2 1/4 in	Assembly	no. 8	#2 (Red)	10	Box of 250
FQC17P8214	8	2 1/4 in	Assembly	no. 8	#2 (Red)	10	Box of 3000
FQC17P8212PR	8	2 1/2 in	Assembly	no. 8	#2 (Red)	10	Box of 2500
FQC17P83PR	8	3 in	Assembly	no. 8	#2 (Red)	10	Box of 2000
FQC17P83J	8	3 in	Assembly	no. 8	#2 (Red)	Not Applicable	Box of 150

TECHNICAL SPECIFICATIONS

Head Type	Flat
Drive required	Quadrex
Thread Type	Coarse Thread
Point Type	Type 17
Finish	Plain
Brand	Reliable
Threading	Partial thread
Specific Application	Various
Type of Wood	Hardwood, Engineered Wood
Standards and Certifications	Not Certified
Material	Steel

PRODUCT PHOTOS

