



## 410H Stainless Steel Metal Screw, Hex Head with Washer, Self-Tapping Thread, Self-Drilling Point

### Screw Size

1/4	n° 10	n° 12	n° 14	n° 6
n° 8				

### Length

1/2 in	5/8 in	3/4 in	1 in	1 1/4 in
1 1/2 in	2 in	2 1/2 in	3 in	4 in

### Point Type

#2 Self-Drilling	#3 Self-Drilling	#5 Self-Drilling	Self-Drilling
------------------	------------------	------------------	---------------

### Metal Screw Thread Count (PITCH/TPI)

14	16	18	20	24
----	----	----	----	----

### Brand



### Head Size

7.9 mm (5/16")
-------------------

### Threading

Full thread
-------------

### Drive Size

5/16" (Hex)
-------------

### Specific Application

Steel Railing and Stair / Ventilation Ducts
--

## Thread Count (Pitch/TPI)

16

## Packaging format

Per unit

Box of 1400

Box of 1800

Box of 2000

Box of 5000

## DESCRIPTION

### 410H Stainless Steel Self-drilling (TEK) Screw

## AVAILABLE PRODUCTS

Product #	Screw Size	Length	Point Type	Metal Screw Thread Count (PITCH/TPI)	Brand	Head Size	Threading	Drive Size	Specific Application	Thread Count (Pitch/TPI)	Packaging format
<b>HTS141</b>	1/4	1 in	Self-Drilling	16	Reliable	7.9 mm (5/16")	Full thread	5/16" (Hex)	Steel Railing and Stair / Ventilation Ducts	16	Box of 2000
<b>HTS14112</b>	1/4	1 1/2 in	Self-Drilling	16	Reliable	7.9 mm (5/16")	Full thread	5/16" (Hex)	Steel Railing and Stair / Ventilation Ducts	16	Box of 1800
<b>HTS142</b>	1/4	2 in	Self-Drilling	16	Reliable	7.9 mm (5/16")	Full thread	5/16" (Hex)	Steel Railing and Stair / Ventilation Ducts	16	Box of 1400
<b>17BW10X12</b>	n° 10	1/2 in	#2 Self-Drilling	16	Cook						Per unit
<b>17BW10X58</b>	n° 10	5/8 in	#2 Self-Drilling	16	Cook						Per unit
<b>17BW10X34</b>	n° 10	3/4 in	#2 Self-Drilling	16	Cook						Per unit
<b>17BW10X343</b>	n° 10	3/4 in	#3 Self-Drilling	16	Cook						Per unit
<b>17BW10X343UC</b>	n° 10	3/4 in	#3 Self-Drilling	16	Cook						Per unit
<b>17BW10X1</b>	n° 10	1 in	#2 Self-Drilling	16	Cook						Per unit
<b>17BW10X13</b>	n° 10	1 in	#3 Self-Drilling	16	Cook						Per unit
<b>HTS101</b>	n° 10	1 in	Self-Drilling	16	Reliable	7.9 mm (5/16")	Full thread	5/16" (Hex)	Steel Railing and Stair / Ventilation Ducts	16	Box of 5000

Product #	Screw Size	Length	Point Type	Metal Screw Thread Count (PITCH/TPI)	Brand	Head Size	Threading	Drive Size	Specific Application	Thread Count (Pitch/TPI)	Packaging format
17BW10X114	n° 10	1 1/4 in	#2 Self-Drilling	16	Cook						Per unit
17BW10X112	n° 10	1 1/2 in	#2 Self-Drilling	16	Cook						Per unit
17BW10X1123	n° 10	1 1/2 in	#3 Self-Drilling	16	Cook						Per unit
17BW10X2	n° 10	2 in	#3 Self-Drilling	16	Cook						Per unit
17BW12X34	n° 12	3/4 in	#3 Self-Drilling	14	Cook						Per unit
17BW12X1	n° 12	1 in	#3 Self-Drilling	14	Cook						Per unit
17BW12X114	n° 12	1 1/4 in	#3 Self-Drilling	14	Cook						Per unit
17BW12X112	n° 12	1 1/2 in	#3 Self-Drilling	14	Cook						Per unit
17BW12X15FTEK5	n° 12	1 1/2 in	#5 Self-Drilling	24	Cook						Per unit
17BW12X2	n° 12	2 in	#3 Self-Drilling	14	Cook						Per unit
17BW12X212	n° 12	2 1/2 in	#3 Self-Drilling	14	Cook						Per unit
17BW12X3	n° 12	3 in	#3 Self-Drilling	14	Cook						Per unit
17BW14X34	n° 14	3/4 in	#3 Self-Drilling	14	Cook						Per unit
17BW14X1	n° 14	1 in	#3 Self-Drilling	14	Cook						Per unit
17BW14X114	n° 14	1 1/4 in	#3 Self-Drilling	14	Cook						Per unit
17BW14X112	n° 14	1 1/2 in	#3 Self-Drilling	14	Cook						Per unit
17BW14X2	n° 14	2 in	#3 Self-Drilling	14	Cook						Per unit
17BW14X212	n° 14	2 1/2 in	#3 Self-Drilling	14	Cook						Per unit

Product #	Screw Size	Length	Point Type	Metal Screw Thread Count (PITCH/TPI)	Brand	Head Size	Threading	Drive Size	Specific Application	Thread Count (Pitch/TPI)	Packaging format
<b>17BW14X3</b>	n° 14	3 in	#3 Self-Drilling	14	Cook						Per unit
<b>17BW14X4</b>	n° 14	4 in	#3 Self-Drilling	14	Cook						Per unit
<b>17BW6X12</b>	n° 6	1/2 in	#2 Self-Drilling	20	Cook						Per unit
<b>17BW6X34</b>	n° 6	3/4 in	#2 Self-Drilling	20	Cook						Per unit
<b>17BW6X1</b>	n° 6	1 in	#2 Self-Drilling	20	Cook						Per unit
<b>17BW8X12</b>	n° 8	1/2 in	#2 Self-Drilling	18	Cook						Per unit
<b>17BW8X58</b>	n° 8	5/8 in	#2 Self-Drilling	18	Cook						Per unit
<b>17BW8X34</b>	n° 8	3/4 in	#2 Self-Drilling	18	Cook						Per unit
<b>17BW8X1</b>	n° 8	1 in	#2 Self-Drilling	18	Cook						Per unit
<b>17BW8X114</b>	n° 8	1 1/4 in	#2 Self-Drilling	18	Cook						Per unit
<b>17BW8X112</b>	n° 8	1 1/2 in	#2 Self-Drilling	18	Cook						Per unit
<b>17BW8X2</b>	n° 8	2 in	#2 Self-Drilling	18	Cook						Per unit

## TECHNICAL SPECIFICATIONS

<b>Drive required</b>	Hex
<b>Finish</b>	Stainless Steel
<b>Head Type</b>	Hexagon with Washer
<b>Thread Type</b>	Self-Tapping, Imperial
<b>Material</b>	Stainless Steel 410H

## PRODUCT PHOTOS

---

