



Zinc Plated Machine Screw, Flat Head, Quadrex Drive, 6-32, Type B Point

Length

5/16 in	3/8 in	1/2 in	5/8 in	3/4 in
1 in	1 1/4 in	1 1/2 in	1 3/4 in	2 in
2 1/2 in	3 in			

Packaging format

Box of 100	Box of 1500	Box of 3500	Box of 4000	Box of 5000
Box of 6000	Box of 10000	Box of 13000	Box of 15000	

DESCRIPTION

Our range of machine screws respects the Industrial Fasteners Institute's ASME B18.6.3 standards.



AVAILABLE PRODUCTS

Product #	Length	Packaging format
FKMZ632516VP	5/16 in	Box of 100
FQMZ632516	5/16 in	Box of 15000
FKMZ63238VP	3/8 in	Box of 100
FQMZ63238	3/8 in	Box of 15000
FKMZ63212VP	1/2 in	Box of 100
FQMZ63212	1/2 in	Box of 15000
FKMZ63258VP	5/8 in	Box of 100
FQMZ63258	5/8 in	Box of 15000
FKMZ63234VP	3/4 in	Box of 100
FQMZ63234	3/4 in	Box of 15000
FKMZ6321VP	1 in	Box of 100
FQMZ6321	1 in	Box of 13000
FKMZ632114VP	1 1/4 in	Box of 100
FQMZ632114	1 1/4 in	Box of 10000
FKMZ632112VP	1 1/2 in	Box of 100
FQMZ632112	1 1/2 in	Box of 6000
FKMZ632134VP	1 3/4 in	Box of 100
FQMZ632134	1 3/4 in	Box of 4000
FKMZ6322VP	2 in	Box of 100
FQMZ6322	2 in	Box of 5000
FKMZ632212VP	2 1/2 in	Box of 100
FQMZ632212	2 1/2 in	Box of 3500
FKMZ6323VP	3 in	Box of 100
FQMZ6323	3 in	Box of 1500



TECHNICAL SPECIFICATIONS

Screw Size	6
Thread Count (Pitch/TPI)	32
Finish	Zinc
Thread Type	Imperial
Head Type	Flat
Drive required	Quadrex
Drive Size	#1 (Green)
Material	Steel
Brand	Reliable
Standards and Certifications	ASME B18.6.3
Head Size	no. 6
Threading	Full thread
Point Type	Type B
Specific Application	Handles and Knobs, Wall Electrical Box

PRODUCT PHOTOS

