

Blind Rivet

Length

1/8 in

1/4 in

3/8 in

1/2 in

Diameter

1/8 in

5/32 in

3/16 in

Packaging format

Box of 100

Box of 500

DESCRIPTION

Pop rivet with break mandrel and flat head

The blind rivets can be installed and fixed in a joint on just one side of a structure, "blind" to the opposite side.

ADVANTAGES AND BENEFITS

- Different materials of several thicknesses can be joined - Easy and fast fastener to install - Provides good vibration resistance

AVAILABLE PRODUCTS

Product #	Length	Diameter	Packaging format
BRZ1818C1	1/8 in	1/8 in	Box of 100
BRZ1818C5	1/8 in	1/8 in	Box of 500
BRZ53218C1	1/8 in	5/32 in	Box of 100
BRZ53218C5	1/8 in	5/32 in	Box of 500
BRZ31618C1	1/8 in	3/16 in	Box of 100
BRZ31618C5	1/8 in	3/16 in	Box of 500
BRZ1814C1	1/4 in	1/8 in	Box of 100
BRZ1814C5	1/4 in	1/8 in	Box of 500
BRZ53214C1	1/4 in	5/32 in	Box of 100
BRZ53214C5	1/4 in	5/32 in	Box of 500
BRZ31614C1	1/4 in	3/16 in	Box of 100
BRZ31614C5	1/4 in	3/16 in	Box of 500
BRZ1838C1	3/8 in	1/8 in	Box of 100
BRZ1838C5	3/8 in	1/8 in	Box of 500
BRZ53238C1	3/8 in	5/32 in	Box of 100
BRZ53238C5	3/8 in	5/32 in	Box of 500
BRZ31638C1	3/8 in	3/16 in	Box of 100
BRZ31638C5	3/8 in	3/16 in	Box of 500
BRZ1812C1	1/2 in	1/8 in	Box of 100
BRZ1812C5	1/2 in	1/8 in	Box of 500
BRZ53212C1	1/2 in	5/32 in	Box of 100
BRZ53212C5	1/2 in	5/32 in	Box of 500
BRZ31612C1	1/2 in	3/16 in	Box of 100
BRZ31612C5	1/2 in	3/16 in	Box of 500

TECHNICAL SPECIFICATIONS

Brand	Reliable
Type of Tool	Accessory

IMPORTANT INFORMATION

Material of the mandrel: zinc Material of the sleeve: aluminum

PRODUCT PHOTOS

