



Black Carriage Bolt, Pan Head - Rustproof Finish

Bolt Diameter/Size

1/2 in	1/4 in	3/4 in	3/8 in	5/16 in
--------	--------	--------	--------	---------

Thread Count (Pitch/TPI)

13	16	18	20
----	----	----	----

Length

2 in	2 1/2 in	3 in	4 in	5 in
6 in				

Corner-to-Corner Head Dimensions

0.563 to 0.594 in	0.688 to 0.719 in	0.782 to 0.844 in	1.032 to 1.094 in
----------------------	----------------------	----------------------	----------------------

Packaging format

Box of 25	Box of 50	Box of 90	Box of 100	Box of 125
Box of 150	Box of 175	Box of 225	Box of 300	Box of 400
Box of 450	Box of 600	Box of 700	Box of 900	

AVAILABLE PRODUCTS

Product #	Bolt Diameter/Size	Thread Count (Pitch/TPI)	Length	Corner-to-Corner Head Dimensions	Packaging format
CBBLK124L	1/2 in	13	4 in	1.032 to 1.094 in	Box of 50
CBBLK124	1/2 in	13	4 in	1.032 to 1.094 in	Box of 125
CBBLK125L	1/2 in	13	5 in	1.032 to 1.094 in	Box of 50
CBBLK125	1/2 in	13	5 in	1.032 to 1.094 in	Box of 100
CBBLK126L	1/2 in	13	6 in	1.032 to 1.094 in	Box of 25
CBBLK126	1/2 in	13	6 in	1.032 to 1.094 in	Box of 90
CBBLK142L	1/4 in	20	2 in	0.563 to 0.594 in	Box of 50
CBBLK142	1/4 in	20	2 in	0.563 to 0.594 in	Box of 900
CBBLK14212L	1/4 in	20	2 1/2 in	0.563 to 0.594 in	Box of 50
CBBLK14212	1/4 in	20	2 1/2 in	0.563 to 0.594 in	Box of 700
CBBLK143L	1/4 in	20	3 in	0.563 to 0.594 in	Box of 50
CBBLK143	1/4 in	20	3 in	0.563 to 0.594 in	Box of 600
CBBLK144L	1/4 in	20	4 in	0.563 to 0.594 in	Box of 50
CBBLK144	1/4 in	20	4 in	0.563 to 0.594 in	Box of 450
CBBLK384L	3/4 in	16	4 in	0.782 to 0.844 in	Box of 50
CBBLK383L	3/8 in	16	3 in	0.782 to 0.844 in	Box of 50
CBBLK383	3/8 in	16	3 in	0.782 to 0.844 in	Box of 300
CBBLK384	3/8 in	16	4 in	0.782 to 0.844 in	Box of 225
CBBLK385L	3/8 in	16	5 in	0.782 to 0.844 in	Box of 50
CBBLK385	3/8 in	16	5 in	0.782 to 0.844 in	Box of 175
CBBLK386L	3/8 in	16	6 in	0.782 to 0.844 in	Box of 50
CBBLK386	3/8 in	16	6 in	0.782 to 0.844 in	Box of 150
CBBLK516212L	5/16 in	18	2 1/2 in	0.688 to 0.719 in	Box of 50
CBBLK516212	5/16 in	18	2 1/2 in	0.688 to 0.719 in	Box of 450
CBBLK5163L	5/16 in	18	3 in	0.688 to 0.719 in	Box of 50
CBBLK5163	5/16 in	18	3 in	0.688 to 0.719 in	Box of 400

TECHNICAL SPECIFICATIONS

Material	Steel
Steel Grade	ASTM A307
Head	Round
Type of Point	Blunt
Thread Type	Coarse
Finish	Rustproof Black
Brand	Reliable
Standards and Certifications	ASTM A307
Thread	Full thread
Specific Application	Structure Assembly

PRODUCT PHOTOS

