



Heavy Hex Nut - T316 Stainless Steel

Bolt Diameter/Size

1/2 in	1/4 in	1 1/2 in	1 1/4 in	1 1/8 in
1 in	3/4 in	3/8 in	5/16 in	5/8 in
7/16 in	7/8 in			

Thread Count (Pitch/TPI)

10	11	13	14	16
18	20	6	7	8
9				

Standards and Certifications

ASTM A194	Not
Grade 8M	Applicable



AVAILABLE PRODUCTS

Product #	Bolt Diameter/Size	Thread Count (Pitch/TPI)	Standards and Certifications
25EH12138M	1/2 in	13	ASTM A194 Grade 8M
25EH1213	1/2 in	13	Not Applicable
25EH14208M	1/4 in	20	ASTM A194 Grade 8M
25EH1420	1/4 in	20	Not Applicable
25EH1126	1 1/2 in	6	Not Applicable
25EH11478M	1 1/4 in	7	ASTM A194 Grade 8M
25EH1147	1 1/4 in	7	Not Applicable
25EH1148	1 1/4 in	8	Not Applicable
25EH1187	1 1/8 in	7	Not Applicable
25EH188M	1 in	8	ASTM A194 Grade 8M
25EH18	1 in	8	Not Applicable
25EH34108M	3/4 in	10	ASTM A194 Grade 8M
25EH3410	3/4 in	10	Not Applicable
25EH38168M	3/8 in	16	ASTM A194 Grade 8M
25EH3816	3/8 in	16	Not Applicable
25EH51618	5/16 in	18	Not Applicable
25EH58118M	5/8 in	11	ASTM A194 Grade 8M
25EH5811	5/8 in	11	Not Applicable
25EH71614	7/16 in	14	Not Applicable
25EH7898M	7/8 in	9	ASTM A194 Grade 8M
25EH789	7/8 in	9	Not Applicable

TECHNICAL SPECIFICATIONS

Material	Stainless Steel T316
Finish	Stainless Steel
Thread Type	Imperial
Brand	Cook
Type of nuts	Hex Nut



PRODUCT PHOTOS

