

## Heavy Hex Bolt - T316 Stainless Steel

### Bolt Diameter/Size

1/2 in	1 in	3/4 in	5/8 in	7/8 in
--------	------	--------	--------	--------

### Thread Count (Pitch/TPI)

10	11	13	8	9
----	----	----	---	---

### Length

1 in	1 1/4 in	1 1/2 in	1 3/4 in	2 in
2 1/4 in	2 1/2 in	2 3/4 in	3 in	3 1/4 in
3 1/2 in	3 3/4 in	4 in	4 1/4 in	4 1/2 in
4 3/4 in	5 in	6 in		

## AVAILABLE PRODUCTS

Product #	Bolt Diameter/Size	Thread Count (Pitch/TPI)	Length
06EV12X1B8M	1/2 in	13	1 in
06EV12X114B8M	1/2 in	13	1 1/4 in
06EV12X112B8M	1/2 in	13	1 1/2 in
06EV12X134B8M	1/2 in	13	1 3/4 in
06EV12X2B8M	1/2 in	13	2 in
06EV12X214B8M	1/2 in	13	2 1/4 in
06EV12X212B8M	1/2 in	13	2 1/2 in
06EV12X234B8M	1/2 in	13	2 3/4 in
06EV12X3B8M	1/2 in	13	3 in
06EV12X4B8M	1/2 in	13	4 in
06EV1X312B8M	1 in	8	3 1/2 in
06EV1X4B8M	1 in	8	4 in
06EV34X2B8M	3/4 in	10	2 in
06EV34X214B8M	3/4 in	10	2 1/4 in
06EV34X212B8M	3/4 in	10	2 1/2 in
06EV34X3B8M	3/4 in	10	3 in
06EV34X314B8M	3/4 in	10	3 1/4 in
06EV34X312B8M	3/4 in	10	3 1/2 in
06EV34X4B8M	3/4 in	10	4 in
06EV34X414B8M	3/4 in	10	4 1/4 in
06EV34X5B8M	3/4 in	10	5 in
06EV58X1B8M	5/8 in	11	1 in

Product #	Bolt Diameter/Size	Thread Count (Pitch/TPI)	Length
06EV58X112B8M	5/8 in	11	1 1/2 in
06EV58X134B8M	5/8 in	11	1 3/4 in
06EV58X2B8M	5/8 in	11	2 in
06EV58X214B8M	5/8 in	11	2 1/4 in
06EV58X212B8M	5/8 in	11	2 1/2 in
06EV58X234B8M	5/8 in	11	2 3/4 in
06EV58X3B8M	5/8 in	11	3 in
06EV58X314B8M	5/8 in	11	3 1/4 in
06EV58X312B8M	5/8 in	11	3 1/2 in
06EV58X334B8M	5/8 in	11	3 3/4 in
06EV58X4B8M	5/8 in	11	4 in
06EV58X412B8M	5/8 in	11	4 1/2 in
06EV58X5B8M	5/8 in	11	5 in
06EV78X212B8M	7/8 in	9	2 1/2 in
06EV78X3B8M	7/8 in	9	3 in
06EV78X412B8M	7/8 in	9	4 1/2 in
06EV78X434B8M	7/8 in	9	4 3/4 in
06EV78X6B8M	7/8 in	9	6 in

## TECHNICAL SPECIFICATIONS

Type of Bolts	Hex Head
Material	Stainless Steel T316
Steel Grade	ASTM A193
Thread Type	Imperial
Finish	Stainless Steel
Brand	Cook

## PRODUCT PHOTOS

---

